PUBLIC HEALTH REPORTS

VOL. 37

NOVEMBER 24, 1922

No. 47

MALTA FEVER IN SOUTHWESTERN UNITED STATES.

WITH SPECIAL REFERENCE TO A RECENT OUTBREAK IN PHOENIX. ARIZ.

By G. C. LAKE, Passed Assistant Surgeon, United States Public Health Service.

The first case of Malta fever known to have originated in the United States was reported in 1905 by Col. C. F. Craig, Medical Corps, United States Army. The patient was a nurse who contracted the disease in Washington, D. C., probably from nursing infected soldiers. Craig also reported nine other cases occurring in soldiers returned from the Philippines. In this report he stated that he was convinced that Malta fever existed in the warmer portions of the United States. This statement can scarcely be classed as a prediction that it would be found to exist, but is rather a conservative opinion based on a careful study of the disease and the knowledge that conditions favorable to its existence and spread were present in the warmer portions of the United States.

Six years later, Ferenbaugh, Medical Corps, United States Army, reported five cases of Malta fever in Texas, the first cases of the indigenous occurrence of this disease in the United States. All five had worked with goats and had drunk goat's milk. Following this report, Ferenbaugh and Gentry, Medical Corps, United States Army, were detailed by the Surgeon General of the Army to make some field investigations of the disease in Texas. Their investigations, reported in 1911,3 show that Malta fever had in all probability been present in Texas at that time for at least 25 years. They made serological tests on 128 goats and found 19.4 per cent positive for Malta fever; but, because of the unfavorable time of year for such work, were unable to isolate B. melitensis from any of the goats. They made positive diagnoses, by serological tests, on seven human cases in addition to the five first reported by Ferenbaugh. In two of these cases they recovered B. melitensis. They point out that the favorable

¹ Craig, Charles F.: The Symptomatology and Diagnosis of Malta Fever, with the Report of Additional Cases. Internat. Clinics, 15th series, vol. 4: 89-115.

³ Ferenbaugh, Thos. L.: Endemic Mediterranean Fever in Southwest Texas. Jour. Am. Med. Assn.,

³ Gentry, Ernest R., and Ferenbaugh, Thos. L.: Endemic Malta Fever in Texas. Jour. Am. Med. Assn., 57: 889. Ibid, 57: 1045. Ibid, 57: 1127.

time to study the disease is during the spring and early summer, during which time the goats are kidding and are in full milk, and not in the fall, at which time their investigations were made.

Yount and Looney, in 1912, reported five cases of Malta fever, all occurring in persons connected with the goat industry, near Wagoner, Ariz. Yount, in 1913, reported an additional case in which he isolated B. melitensis, and four other cases occurring in the practice of Dr. J. C. Wilson at Wilcox, Ariz., two of which were positive by agglutination tests made by Capt. C. L. Cole, Medical Corps, United States Army, at Fort Sam Houston, Tex.

During the summer of 1922 the first outbreak of Malta fever in any city in the United States occurred in Phoenix, Ariz. The outbreak resulted from the sale of goat's milk by a high-class dairy, whereas practically all of the indigenous cases previously reported in this country were directly connected with the goat-raising industry. More than 30 cases were positively diagnosed, and doubtlessly many others occurred. Two fatalities resulted in patients already more or less invalided by other infections. This series of cases constitutes the first, in one locality, of sufficient size to warrant being called an epidemic. It was the privilege of the writer to be detailed to Arizona to cooperate with the State and local authorities in the investigation of Malta fever in Phoenix in particular, and of its occurrence in the State in general. The important facts obtained in connection with the Phoenix outbreak are briefly as follows:

Cases of a peculiar febrile disease began to appear in Phoenix about the middle of May, 1922, in which a variety of provisional diagnoses, including typhoid fever, rheumatic fever, malaria, septicemia, and influenza, were made. After several weeks Malta fever was suspected, following which cultures of B. melitensis were secured from the Hygienic Laboratory, United States Public Health Service. Agglutination tests made at the Pathological Laboratory of Phoenix, on August 3, and confirmed later by the Hygienic Laboratory, established beyond doubt the presence of Malta fever in the city. The fact that the presence of Malta fever was not recognized earlier is an indication of the difficulties attending its early recognition.

By the end of September, 35 cases had been located, most of which had probably been infected before the end of June. In September a number of these cases were sufficiently typical clinically to warrant a diagnosis of Malta fever, even in the absence of a known source of infection, or of positive serological tests. Temperature records could be secured in only 12 of the cases, 9 of which showed the wave-like effect, from which the name "undulant fever" was first given

^{&#}x27;Yount, C. E., and Looney, R. N.: Malta Fever in Arizona, with a Preliminary Report of Cases. South Calif. Pract. 27: 257.

⁶ Yount, C. E.: Malta Fever in the United States. Military Surgeon, 33: 540.

the disease by Hughes, and the other 3 were not inconsistent. The length of time that the fever lasted varied from 60 days to more than 150 days; one or two of the cases are, at this writing, still febrile. The cases varied in severity from ambulatory to fatal. However, of the two patients who died, one was a chronic case of tuberculosis and the other had probably suffered from some type of focal infection. All the cases, with the exception of one patient who objected to having blood taken, were positive for Malta fever by the agglutination test. It is interesting to note, too, that their serums caused an agglutination of B. abortus (Bang) equally as well. B. melitensis was recovered from two of the cases.

The investigations showed that all but three of the patients had drunk goat's milk supplied from the same dairy, and that the possibility of these three having drunk of this milk also could not be excluded. This milk was placed on sale April 7, 1922. Our investigations showed that nearly all the patients were probably infected by June 1, although the sale of the goat's milk was not stopped until August 3, 1922. The explanation for this is that the milk sold came from two different herds of goats, which for convenience are designated as herd A and herd B. Up to about June 1 all of the goats' milk used came from herd A; soon after that time the milk from herd A was mixed more or less with milk from herd B and finally almost or entirely replaced by it. Agglutination tests made on serums from 115 of the goats from herd A gave 18.3 per cent positives. Gentry and Ferenbaugh (loc. cit.), in Texas, found 19.4 per cent of positives in 128 goats examined. Serums from 143 goats from herd B gave only two positives. It seems quite probable that herd B was free from infection when brought down from the hills early in the spring and became infected from herd A. We are particularly indebted to the Bureau of Animal Industry for collecting most of the goat serums. The herd A goats were on the range during the writer's stay in Phoenix, and it was impracticable to obtain their serums until they were rounded up for shearing. Dr. M. Shipley, veterinary inspector, stationed at Phoenix, kindly volunteered to secure the serums for us at that time.

From information obtained from Arizona State and local authorities and various physicians, we are certain that Malta fever has occurred in several widely separated areas of the State. We wish especially to mention a series of five cases, all in the same family, occurring near Phoenix in 1908, as they constitute the first that occurred in the State in which we could get a history. These cases were attended by Dr. H. K. Beauchamp, and from his account of them, and an almost classical description of his own illness and that of the others obtained first hand from one of the patients, we are convinced that these cases were Malta fever and that the disease has

been present in Arizona at least 14 years. Two of the other four cases had left the State, but are known to be in good health. One died in 1909, probably from the disease, and one was killed in the late war. It is of interest to note that two of them, after suffering with the disease for several months in Arizona, being told by their physician that they might have tuberculosis, and believing that they were in the last stages, "went back home to die," one to Missouri the other to Oklahoma; but instead of dying, both recovered completely after about six months.

GENERAL CONSIDERATIONS.

From the investigations of Gentry and Ferenbaugh, Malta fever has existed in Texas for at least 36 years, and, from our own, it has existed in Arizona for at least 14 years. Tests made on goats in both States have shown an infection of representative herds of nearly 20 per cent. The same subtropical climate, together with numerous goat herds, exists from Texas to the Pacific coast. It is well known that goats are shipped, or are driven, back and forth between the Southwestern States and into other States as well. Whether infected goats will continue to have Malta fever and spread the same when shipped from our Southern States with subtropical climates to Northern States has not been investigated; but from the researches of Mohler and Hart 6 it is altogether probable that they will. With these conditions present, we are convinced that Malta fever must exist in New Mexico and California. There is no doubt that it exists in Mexico; at least one case developing in Mexico was studied by Woolsey 7 in St. Louis in 1918.

Goat's milk is being sold at the present time in a number of cities in the United States, usually as a fancy article and at a high price. It is consumed largely by infants and invalids, particularly by patients with tuberculosis, and in these persons Malta fever could exist for a long time without being recognized. Some of the Phoenix cases were patients with quiescent tuberculosis, fever-free for months. These cases, with a Malta-fever infection superimposed, behaved as cases in which tuberculosis had suddenly become active, and, in the absence of an epidemic, would never have been diagnosed without the most careful observation. The difficulty in recognizing so insidious a disease in infants needs no comment.

SUMMARY.

1. Malta fever has, in all probability, existed in Texas for at least 36 years and in Arizona for at least 14 years. Absolutely authentic cases have been known in Texas since 1911 and in Arizona since 1912.

Mohler, John R., and Hart, Geo. H.: Malta Fever and the Maltese Goat Importation. 25th Annual Report, B. A. I., 1903, 279-295.
 Woolsey, Russ. A.: Missouri Med. Assn. 15:165.

2. Conditions favorable for the existence and spread of Malta fever are present in all the Southwestern States.

3. More than 30 authentic cases of Malta fever occurred in the recent outbreak at Phoenix, Ariz., concerning which the following can be stated:

- (a) These cases were typical clinically and serologically; and in two cases B. melitensis was recovered.
- (b) Goat's milk is known to have been used in all but three of the cases and can not be excluded in those three.
- (c) Tests made on the goats supplying this milk gave 18.3 per cent positives for Malta fever.
- (d) The disease remained unrecognized for at least six weeks, under conditions unusually favorable for its recognition.
- 4. Goat's milk is being sold in a number of cities in the United States.

CONCLUSIONS.

From the evidence at hand we believe the following conclusions are warranted:

- 1. Malta fever is probably endemic in certain sections of the southwestern part of the United States and in some parts of Mexico.
- 2. It is extremely difficult to recognize Malta fever early in the course of an outbreak, from the clinical symptons alone; usually the possibility of its presence is not considered, and laboratory tests are not made for some weeks.
- 3. The prohibition of the sale of goat's milk in cities where an ample supply of cow's milk is available should be seriously considered by health officers. Where it is necessary to allow the sale of goat's milk to secure sufficient fresh milk, efficient pasteurization under constant supervision by the health authorities should be required.

Acknowledgments: Acknowledgment is made of the assistance and cooperation given by the State superintendent of public health, Dr. A. M. Tuthill, by the director of the State laboratory, Miss Jane Rider, by the Pathological Laboratory, by the local health authorities, and by the medical profession of Phoenix.

MORTALITY FROM CANCER IN THE UNITED STATES, 1921.

The Department of Commerce announces that the returns compiled by the Bureau of the Census show that over 76,000 deaths were due to cancer in the death registration area of the United States in 1921, and, assuming that the remainder of the United States had as many deaths from this cause in proportion to the population, the total number of deaths from cancer in the entire United States for

1921 was 93,000, whereas for 1920 the number is estimated as 89,000, or 4,000 less than for 1921.

The trend of the cancer death rate is upward, the rate for 1921 being higher than that for any earlier year in 23 of the 34 States for which rates are shown in the accompanying table. The cancer death rate in the registration area in 1921 was 86 per 100,000 population, against 83.4 for 1920. In comparing the death rate from cancer in one State with that in another, the bureau uses "adjusted" rates in order to make allowance for differences in the age and the sex distribution of the population, because, generally speaking, only persons in middle life and old age have cancer, so that a State with many old persons may be expected to have more deaths from cancer than a State with comparatively few old persons.

The highest "adjusted" cancer rate for 1921 is 99.6 per 100,000 population for the State of Massachusetts, and the lowest is 47.6 for the State of South Carolina.

For a few States adjusted rates have been calculated separately for the white and colored population. In this group of States the highest adjusted cancer rate for the white population is 95.9 per 100,000 population for New York, and the highest rate for the colored population is 90.6, also for New York. The lowest adjusted cancer rate for the white population is 51.5, for Tennessee, and the lowest for the colored population is 36.4, for Florida.

Summarized briefly, the adjusted rates show that the Northern States have comparatively high and the Southern States comparatively low cancer mortality, and that there is little difference between the adjusted cancer rates of the white and colored races of the same States. In other words, the white and colored races seem equally susceptible to cancer, but both races seem less susceptible in the South than in the North.

Deaths and death rates from cancer and other malignant tumors in the registration area (exclusive of Hawaii), and in the registration States.

A maa	Number of deaths.			Ad- justed	Rate per 100,000 population.					
Area.	1921	1920	1919	rate, 1921	1921	1920	1919	1918	1917	
Registration area	76, 274	72,931	68, 551	(1)	86. 0	83.4	80. 5	80.3	82.0	
Registration States of 1917 2	64, 704	61,750	58, 781	(1)	87.9	85.0	82.1	80. 8	81.5	
California	4, 010 718	3,800 691	3, 553 645	87.7 72.3	111.7 74.7	109. 2 73. 0	105, 3 69, 2	101.3 76.7	100. 8 69. 1	
Connecticut	1,377	1, 403	1, 299 191	8×.5 66.9	96. 9 79. 1	100.6 88.4	94. 4 86. 1	94. 0 (3)	92, 3 (3)	
Florida (total)	514	510 381	461 371	55. 4 61. 1	51.3 63.2	52, 1 59, 2	48. 5 59. 1	(3)	(3)	
ColoredIllinois.	92	126 5,991	93 5,646	36. 4 88. 0	27. 6 93. 0	38. 0 91. 8	28. 2 87. 6	82, 2	(3)	
Indiana	2,735	2,645	2, 551	74. 2	92.2	89.9	87.4	88.7	88.7 71.9	
Kansas Kentucky (total) White	1,326	1,2×3 1,354 1,222	1,222 1,267 1,121	69.3 55.7 55,3	79.3 54.4 53.7	72.4 56.3 55.8	69. 2 52. 6 51. 6	72.8 53.1 53.0	54, 1 53, 4	
Colored	142	142		57.8	61.2	60. 5	61.5	54.2	59.	

Deaths and death rates from cancer and other malignant tumors in the registration area exclusive of Hawaii, and in the registration States—Continued.

			Ad- justed	d						
Area.	1921	1920	1919	rate, 1921	1921	1920	1919	1918	1917	
ouisiana (total)	975	888	889	76.6	53.6	49.2	49.6	49. 2	(*)	
TITLIFA	665	578	596	73.3	59.3	52.3	54.7	52, 9		
Colored	310	310	293	57.9	44.3	44.2	41.7	43.6		
faine	899	942	891	80.8	116.5	122, 4	116.2	110.1	108.	
(arviand (total)	1,372	1,372	1,263	85.3	93.1	. 94.1	87.6	84.1	87.	
White	1,203	1,200	1,107	86.9	98.1	99.0	92.4	. 89. 9	92.	
Colored	169	172	156	74.6	68.5	70.0	63.9	56.0	62.	
[assachusetts	4,636	4,469	4,097	99.6	118.0	115.3	107.0	108.7	109.	
(ichigan	3,336	3,099	2,970 2,113	81.2	87.8	83.5	81.9	81.9	79.	
lichigan	2,178	2, 293		85.7	89.4	95.4	89.1	83.2	83.	
dississippi (total)	749	686	673	52.4	41.8	38.3	37.6	(3)	(4)	
White	385 364	348 338	- 365 308	52.6 52.0	45.1 38.9	40.6	42.9	•••••		
Colored	2,900		2,545		84.8	36.2	32.7	••••	···· <u></u>	
Missouri	2,900 315	2,630 282	302	74.0 65.9	54.7	77.1 50.6	74.9	73. 5	- 75	
Montana	1,081	999	(8)	79.4	82.4	76.7	55.9	53. 4	55	
Nebraska	533	521	480	80.4	119.8	117.4	(8) 108, 5	(3) 108.6	106	
New Hampshire	3,033	2,760	2,725	92.7	93.3	86.6	87.2	108.0		
New Jersey	11, 182	10, 554	10, 186	96.0	105.7	101.0	98.7	81.2	84	
New Hampshire New Jersey New York (total) White	11,012	10, 414	10, 125	95.9	106.3	101.8	99.2	97.3	97	
White	170	140	161	90.6	76.1	64.6	76.7	98,0	97	
Colored North Carolina (total)	1,120	1,017	1,003	53.7	42.9	39.5	39.5	66. 5 42. 8	42	
North Caronna (total)	815	767	745	52.9	44.6	42.6	42.1	45.1	45	
WhiteColored	305	250	258	53.7	38.8	32.1	33.4	37.8	3	
Cotorea	5,312	5, 171	4,892	77.7	89.8	89.0	85.7	85.6	87	
Ohio Oregon Pennsylvania (total)	759	734	685	80.2	94.8	93.0	88.1	84.3	ලී	
Oregon (total)	7,588	7,315	7.007	84.1	85.4	83.4	80.9	78.3	l Sa	
White	7,383	7,120	6,845	84.0	86.0	83. 9	81.7	78.7	8	
Colored	205	195	162	82.3	68.1	66.8	57.3	64.7	6	
The de Telend	678	606	580	• 97.4	110.4	99.7	96.5	95.8	10	
Rhode Island	588	557	563	47.6	34.4	32.9	33.6	34.4	3	
White	366	338	324	54.8	43.6	40.9	39.9	41.4	4	
Colored	222	219	239	38.7	25.5	25.3	27.7	28.0	2	
Tennessee (total)	1,113	1,094	1,003	51.9	47.1	46.6	43.2	44.1	4	
White	905	905	813	51.5	47.3	47.8	43.3	44.2	4	
Colored	208	189	193	52.3	46.4	41.9	42.6	43.7	4	
Titoh	292	250	265	77.1	63.3	55.1	59.5	52.3	5	
VermontVirginia (total)	400	444	399	77.2	113.5	126.0	113.2	103.4	11	
Virginia (total)	1,329	1,299	1,202	62.2	56.6	55.9	52.3	53.9	5	
White	1,007	948	899	61.0	60.9	58.2	56.0	57.1	5	
Colored	. 1 322	351	303	55.7	46.4	50.7	43.9	46.5		
WashingtonWisconsin	1, 192	1,123	1,045	79.6	85.8	82.1	77.7	75.3		
Wisconsin	2,614	2,335	2,285	85.9	97.6	88.2	87.3	81.4	8	

¹ Rate not calculated. ² Including District of Columbia

SMALLPOX IN OLDHAM AND LONDON, ENGLAND.1

An outbreak of smallpox, apparently introduced from Yorkshire, where there had been an epidemic of the disease, occurred in Oldham in the early part of 1922, the first case being notified to the public health department on February 7. A total of 54 cases occurred. The type was mild, and there were no deaths.

Vaccination histories of the patients, by age groups, were given as follows.

³ Not admitted to registration area until a later date.

¹ The Medical Officer, Oct. 21, 1922, p. 181; Oct. 28, 1922, p. 192.

Age-group (years).	Vaccinated in infancy.	Unvac- cinated.	Total number of cases.
0-5	0	5	5
5–10	0	8	. 8
15-20. 20-30	. 0	6 4	6
30-40 40-50	3 6	5	8
50-60	5 3	Ö	5
Total	17	37	54

The 54 cases occurred in 22 houses, in which there were 112 people altogether, 68 of the contacts escaping. The vaccination history of the 68 contacts who escaped was given as follows:

Vaccinated in infancy	29
Primarily vaccinated after contact	
Successfully vaccinated 18 years ago	1
Vaccinated or revaccinated in army	5
Unsuccessfully vaccinated after contact	1
Refused revaccination	3

As stated, the infection appeared to be very mild as compared with previous outbreaks, and a fairly intimate contact was necessary before infection occurred.

In contrast to this mild type of the disease, there occurred in London, during the period July 26-October 13, 1922, 19 cases of smallpox, with five deaths—a case fatality of 28 per cent. These cases occurred in two groups of contacts, the original case in one group having been first diagnosed as chicken pox. Two of the original cases of the other group were discovered after they had nearly recovered from a mild attack, and only when a doctor was consulted in regard to the third patient, who died a few days subsequent to discovery.

Attention is called to the fact that unrecognized cases were responsible for both groups of cases, thus emphasizing the need for prompt recognition of the disease in the earliest possible stage.

The fatality rate of smallpox in London during this small outbreak presents a striking contrast to that in other parts of the country, where over 700 cases are stated to have occurred during the present year, of which only 1 has proved fatal.

The public health committee, in forwarding the report of the medical officer, Dr. W. H. Hamer, to the London county council, comments as follows:

"The danger of an epidemic of virulent smallpox in this country is, in our opinion, accentuated by the unvaccinated condition of a large proportion of the population, especially young persons. Since the passing of the vaccination act, 1898, which provided for exemption from compulsory vaccination of an infant on the production of a certificate of 'conscientious' objection by the parent, the number

of infants vaccinated throughout England and Wales has declined from 66.4 per cent of births in 1899 to 39.5 per cent in 1920. We are informed that in prevaccination days the incidence of fatality of smallpox fell chiefly upon young children, and in our view the accumulation within recent years of large numbers of young persons, deprived of the protection afforded by vaccination in infancy, might be fraught with grave consequences in the event of smallpox becoming prevalent."

VACCINATION ORDINANCES UPHELD BY UNITED STATES SUPREME COURT.

The following is an opinion of the Supreme Court of the United States in a case ¹ in which ordinances of the city of San Antonio, Tex., requiring vaccination of school children, were held to be valid.

Mr. Justice Branders delivered the opinion of the court.

Ordinances of the City of San Antonio, Tex., provide that no child or other person shall attend a public school or other place of education without having first presented a certificate of vaccination. Purporting to act under these ordinances, public officials excluded Rosalyn Zucht from a public school because she did not have the required certificate and refused to submit to vaccination. They also caused her to be excluded from a private school. Thereupon Rosalyn brought this suit against the officials in a court of the State. The bill charges that there was then no occasion for requiring vaccination; that the ordinances deprive plaintiff of her liberty without due process of law by, in effect, making vaccination compulsory; and, also, that they are void because they leave to the board of health discretion to determine when and under what circumstances the requirement shall be enforced without providing any rule by which that board is to be guided in its action and without providing any safeguards against partiality and oppression. The prayers were for an injunction against enforcing the ordinances, for a writ of mandamus to compel her admission to the public school, and for damages. A general demurrer to the bill of complaint was sustained by the trial court; and, plaintiff having declined to amend, the bill was dismissed. This judgment was affirmed by the court of civil appeals for the fourth supreme judicial district, 225 S. W. 267; a motion for rehearing was overruled, and an application for a writ of error to the Supreme Court of Texas was denied by that court. A petition for a writ of certiorari filed in this court was dismissed for failure to comply with rule 37, 257 U.S. 650. The case is now here on writ of error granted by the chief justice of the court of civil appeals. It is assigned as error that the ordinances violate the due process and equal protection clauses of the fourteenth amendment, and that as administered they denied to plaintiff equal protection of the laws.

The validity of the ordinances under the Federal Constitution was drawn in question by objections properly taken below. A city ordinance is a law of the State within the meaning of section 237 of the Judicial Code as amended, which provides a review by writ of error where the validity of a law is sustained by the highest court of the State in which a decision in the suit could be had. Atlantic Coast Line v. Goldsboro, 232 U. S. 548, 555. But although the validity of a law was formally drawn in question, it is our duty to decline jurisdiction whenever it appears that the constitutional question presented is not, and was not at the time of granting the writ, substantial in character. Sugarman v. United States, 249 U. S. 182, 184. Long before this suit was instituted, Jacobson v. Massachusetts, 197 U. S. 11, had settled that it is within the police power of a State to provide for compulsery vaccination. That case and others

¹ Zucht v. King et al., decided Nov. 13, 1922.

had also settled that a State may, consistently with the Federal Constitution, delegate to a municipality authority to determine under what conditions health regulations shall become operative. Laurel Hill Cemetery v. San Francisco, 216 U. S. 358. And still others had settled that the municipality may vest in its officials broad discretion in matters affecting the application and enforcement of a health law. Lieberman v. Van de Carr, 199 U. S. 552. A long line of decisions by this court had also settled that in the exercise of the police power, reasonable classification may be freely applied and that regulation is not violative of the equal protection clause merely because it is not all embracing. Adams v. Milwaukee, 228 U. S. 572; Miller v. Wilson, 236 U. S. 373, 384. In view of these decisions we find in the record no question as to the validity of the ordinance sufficiently substantial to support the writ of error. Unlike Yick Wo v. Hopkins, 118 U. S. 356, these ordinances confer not arbitrary power, but only that broad discretion required for the protection of the public health.

The bill contains also averments to the effect that in administering the ordinance the officials have discriminated against the plaintiff in such a way as to deny to her equal protection of the laws. These averments do present a substantial constitutional question. Neal v. Delaware, 103 U. S. 370. But the question is not of that character which entitles a litigant to a review by this court on writ of error. The question does not go to the validity of the ordinance; nor does it go to the validity of the authority of the officials. Compare United States v. Taft, 203 U. S. 461; Champion Lumber Co. v. Fisher, 227 U. S. 445; Yazoo & Mississippi Valley R. R. Co. v. Clarksdale, 257 U. S. 10, 16. This charge is of an unconstitutional exercise of authority under an ordinance which is valid. Compare Stadleman v. Miner, 246 U. S. 544. Unless a case is otherwise properly here on writ of error, questions of that character can be reviewed by this court only on petition for a writ of certiorari.

Writ of error dismissed.

SHIP FUMIGATION—CORRECTION TO PRELIMINARY REPORT OF BOARD OF INVESTIGATION.

The following corrections are made in the article "Ship fumigation—Preliminary report of the board," etc., that appeared in Public Health Reports for November 3, 1922:

Page 2746: Line 6 in the paragraph headed "Methods of production" should read, "Sulphuric acid, sodium cyanide, and salt," etc., and line 8 should read, "because of delayed time of lacrimation, danger from fire, and the predominance," etc. In the formula on this page, the specific gravity of commercial hydrochloric acid should be "1.15 to 1.20," and the amount of water should be 17 instead of 34 ounces.

Page 2747: In the seventh and twentieth lines, "hydrochloric acid gas" should read "hydrocyanic acid gas."

DEATHS DURING WEEK ENDED NOVEMBER 11, 1922.

Summary of information received by telegraph from industrial insurance companies for week ended November 11, 1922, and corresponding week 1921. (From the Weekly Health Index, November 14, 1922, issued by the Bureau of the Census, Department of Commerce.)

. •	Week ended Nov. 11, 1922.	Corresponding week 1921.
Policies in force	51, 180, 358	47, 635, 423
Number of death claims	7,523	6, 493
Death claims per 1,000 policies in force, annual rate	7.7	7. 1

Deaths from all causes in certain large cities of the United States during the week ended November 11, 1922, infant mortality, annual death rate, and comparison with corresponding week of 1921. (From the Weekly Health Index, November 14, 1922, issued by the Bureau of the Census, Department of Commerce.)

	Esti mated	Week Nov. 1		Annual death rate per		s un der rear.	Infant mor- tality
City.	population July 1, 1922.	Total deaths.	Death rate.1	1,000, corre- sponding week 1921.	Week ended Nov. 11, 1922.	Corre- sponding week 1921.	rate, week ended Nov. 1 1922.
Total	27, 948, 439	6,534	12. 2	11.4	851	726	
kron, Ohiolbany, N. Y.	³ 208, 435	38	9.5	6.5	4	3	-
kron, Onto. Ibany, N. Y tlanta, Ga alatimore, Md irmingham, Ala oston, Mass. ridgeport, Conn. unflalo, N. Y ambridge, Mass amderi, N. J. hicego, Ill. incinnati, Ohio leveland, Ohio olumbus, Ohio olumbus, Ohio olumbus, Ohio olever, Colo. berroit, Mich all River, Mass	116, 223 220, 047	31 56	13.9 13.3	16.3 11.8	6 8	2 5	13
altimore, Md	220, 047 762, 222 191, 017	187	12.8	12.2	24	21	
irmingham, Ala	191,017	41	11.2	11.2	4	4	
oston, Mass	764,017 3 143,555	221 20	15. 1 7. 3	12. 5 6. 5	32	24 2	:
ridgeport, Comi	528, 163	130	12.8	11.4	19	16	
ambridge, Mass	110,944	26	12. 2	1 12.7	4	5	
amden, N. J	121, 915 2, 833, 288	30	12.8	10.5	5	5	l '
hicago, III.	2,833,288	577	10.6	10.1	86	80	
incinnati, Unio	854, 565	117 156	15. 1 9. 5	10.8	12 25	6 23	
olumbus, Ohio	253, 455	60	12.3	12.4	8	8	1
allas, Tex	171,974	48	14.6	10.7	1 7	6	
ayton, Ohio	171,974 161,824 267,591	28	9.0	12.2	2	4	1
enver, Colo	³ 993, 678	104 197	20.3 10.3	12. 3 10. 9	12 51	32	
all River Mass	120, 790	35	15.1	13. 4	4	3	
ort Worth, Tex	114,717	17	7.7	10.8	2	3	
rand Rapids, Mich	143, 572	31	11.3	12.9	4	6	1
ouston, Tex	150,087	26	9.0	13.0	3	2	
idianapolis, Ind	333,257 305,911	95	14. 9 13. 0	14. 4 11. 9	11	10	ł
onese City Mo	343, 988	80	12.1	13.8	18	9	1
os Angeles, Calif	634,866	167	13.7	13.6	8	19	1
ouisville, Ky	256,877	64	13.0		9	7	
owell, Mass	114,423 167,862	31	14.1	11.5	6	4 3	1
etrok, Mich all River, Mass. ort Worth, Tex rand Bapids, Mich louston, Tex ndianpolis, Ind resey City, N. J lansas City, Mo. loos Angeles, Calif louisville, Ky lowell, Mass lemphis, Tenn lillwaukce, Wis linneapolis, Minn lashville, Tenn	476,603	62 73	19.3 8.0	16. 4 7. 4		8	j
Jinneapolis, Minn	400, 970	83	10.8	10.4	1 12	10	
lashville, Tenn	122, 832	42	17. 8	17. 1			
lew Bedford, Mass	127, 542 169, 987	24				6	
lew Haven, Conn	399, 616	40 105					
low Vork N. Y	5,839,746	1,326					
Bronx Borough	809,536	142	9. 1	8.9	18		
Brooklyn Borough	2, 117, 164	454	11.2		69		
Manhattan Borough	2,271,888	599 99					
Pichmond Borough	516,757 124,401	32					
Sewark, N. J.	431, 792	: 80	9. 7	7 . 11. 5	11		
vorfolk, Va	124, 915	25		13.3	2	4	
Oakland Calif	233, 279	54					
Jmana, Nebr	200, 739 138, 521	23					
Philadelphia, Pa	1,894,500) 68	48	3
Pittsburgh, Pa	1,894,500	173	14.8	8 15.5	18		
Portland, Oreg	269, 240		10.	5 8.9 7 9.6) 3 5 10		5
Piebword V.	241, 01	68		9 21.			
Rochester N. Y	311.548		11.	5 11.0	6 .	8 10)
St. Louis, Mo	311,549 795,009	187	12.	3 12.			
St. Paul, Minn	239, 83	6 45				5	2
Salt Lake City, Utah	123, 91	5 29	12. 13.			8	-
San Amonio, 1ex	178,05 $529,79$	2 12	12.				8
Seattle, Wash	3315,31	2 5	8.	8 7.	6		2
Spokane, Wash	104,44	5 2	1 10.	5 15.	0	1	2
Springfield, Mass	140,05		0 14.	9 7. 7 12.	3		2
Syracuse, N. Y	181,01	2 4				6	3
Trenton N (260, 71 125, 07						5
Washington, D. C.	3 137, 57	1 11	9 14.	2 13.	1 1	2 2	0
Wilmington, Pel	115, 56	81 - 2	2 9.	9 10.	1		3
femphis. Tenni limvaukce, Wis linneapolis. Minn. lashville, Tenn lew Bedford, Mass. lew Haven, Conni lew Orleans, La. lew York, N. Y. Bronx Borough. Brooklyn Borough. Manhattan Borough. Manhattan Borough. Mechmond Borough. Kehmond Borough. Rehmond Borough. Rehmond Borough. Rehmond Jorough. Rehmond Jorough. Rewark, N. J. Vorfolk, Va. Daklanid; Calif. Dmaha, Nebr. "aterson, N. J. Philadelphia, Pa. Pittsburgh, Pa. Portland, Oreg. Providence, R. I. Richmond, Va. Rochester, N. Y. St. Louis, Mo. St. Paul, Minn. Salt Lake City, Utah. San Antonio, Tex. San Francisco, Calif. Seattle, Wash. Spokane, Wash. Spokane, Wash. Spracuse, N. Y. Toledo, Ohio. Trenton, N. J. Washington, D. C. Wilmington, D. C. Wilmington, D. C. Wilmington, D. C. Worcester, Mass. Yonkers, N. Y. Yonkers, N. Y. Yonnestown, Ohio.	188, 44 105, 42						1 2

Annual rate per 1,690 population.
 Deaths under 1 year per 1,090 bit ths—an about 1 rate based on deaths under 1 year for the week and estimated births for 1921. Cities left blank are not in the registration area for births.
 Enumerated population Jan. 1, 192).

PREVALENCE OF DISEASE.

No health department, State or local, can effectively prevent or control disease without knowledge of when, where, and under what conditions cases are occurring.

UNITED STATES.

CURRENT STATE SUMMARIES.

These reports are preliminary, and the figures are subject to change when later returns are received by the State health officers.

Reports for Week Ended November 18, 1922.

ALABAMA. Cas		COLORADO.	
<u> </u>	56	(Exlusive of Denver.)	ses.
Dengue	30	Chicken pox	7
Diphtheria	15	Diphtheria	
Hookworm disease		Measles.	3
Influenza	25	Paratyphoid fever	. 1
Malaria	38	Pneumonia	2
Pellagra	1	Scarlet fever.	
Poliomyelitis	1	Smallpox.	
Scarlet fever	15	Tuberculosis	
Smallpox	1	Typhoid fever.	
Tuberculosis	12	Typnoid lever	12
Typhoid fever	14	CONNECTICUT.	
ARKANSAS.		Cerebrospinal meningitis	
Chicken pox	34	Chicken pox	
Diphtheria	32	Conjunctivitis	
Hookworm disease	1	Diphtheria	. 85
Influenza.	19	German measles	. 3
Malaria	43	Influenza	
Measies.	1	Lethargic encephalitis	, 1
Pellagra	4	Malaria	. 16
Pneumonia	1	Measles	206
Scarlet fever	10	Mumps	
Smallpox	1	Paratyphoid fever	. 1
Trachoma	1	Pneumonia (lobar)	
Tuberculosis	19	Scarlet fever	
Typhoid fever	17	Smallpox	
Whooping cough	2	Tetanus	
whooping coagnitions	_	Tuberculosis (all forms)	
CALIFORNIA.		Typhoid fever	
		Whooping cough	. 63
Cerebrospinal meningitis:	_	DELAWARE.	
Oakland	1		
Orange County	1	Chicken pox	
Diphtheria		Influenza	-
Influenza		Measles	
Measles		Pneumonia	. 5
Scarlet fever		Scarlet fever:	_
Smallpox		Wilmington	
Typhoid fever	12	Scattering	. 4

(2906)

DELAWARE—continued.	Cases.	illinois—continued.	Cases.
Tuberculosis	3	Scarlet fever—Continued.	
Typhoid fever	3	Lake County	12
Whooping cough	2	McLean County	20
FLORIDA.		Macon County	9
Dengue	61	Morgan County	9
Diphtheria	35	Peoria County	16
Influenza	28	Piatt County	9
Maloria	50	Whiteside County	11
Preimonia	29	Scattering	171
Poliom velitis	1	De Kalb County	. 8
Searlet fever	2	Whiteside County	
Trichinosis	1	Scattering.	
Typhoid fever	15	Typhoid fever:	
GEORGIA.		Fayette County	8
Chicken pox	4	Scattering	47
Conjunctivitis (infectious)	2	Whooping cough	178
Dengile	30	INDIANA.	
Diphtheria	137	1	
Dysentery (bacillary)	1	Diphtheria	
Hookworm disease	4	Smallpox	130
Influenza	72	Typhoid fever	
Malaria	25	i	
Mumps	1	IOWA.	
Pneumonia		Diphtheria	
Scarlet fever		Scarlet fever.	
Septic sore throat		Smallpox	
Tetanus	1	Typhoid fever	2
Tuberculosis (all forms)		KANSAS.	
Typhoid fever		Chicken pox	76
ILLINOIS.		Diphtheria	175
Diphtheria:		Influenza	
Cass County		Measles	
Cook County (including Chicago)	301	Mumps	
Chicago		Pellagra	
Crawford County		Pneumonia Scarlet fever	
Edgar County		Smallpox.	
Greene County		l m a li a la l	
Jersey County		Typhoid fever	
Kane CountyLa Salle County		Whooping cough	
Lake County			
Macoupin County		LOUISIANA. Dengue	285
Madison County		Dungue	
Randolph County	10	Influenza.	_
St. Clair County	9	Scarlet fever.	
Saline County		Smallpox	
Stephenson County		Typhold level	22
Vermilion County			
Wayne County			40
Scattering		i er tut de	
Pneumonia		1 <u>1 </u>	
Poliomyelitis:		German measles	4
Crawford County		Influenza	22
St. Clair County		Lethargic encephalitis	
Scarlet fever:		Malaria	
Bureau County	1:	2 Measles	
Cook County (including Chicago)		Mumps.	39
Chicago		Ophthalmia neonatorum	2
Edgar County		1	
Kane County			
La Salle County	1	1 Bellinoine (air iorma).	
Week ended Friday.			

	ses.	Montana. Ce	1305.
Scabies		Diphtheria	12
Scarlet fever		Scarlet fever	. 27
Septic sore throat		Smallpox	R
Tuberculosis		Typhoid fever	. 1
Typhoid fever		NEBRASKA.	
Whooping cough	69		
MASSACHUSETTS.	- 1	Cerebrospinal meningitis—York	. 1
Anthrax	1	Chicken pox	. 36
Cerebrospinal meningitis.	5	Diphtheria:	
Chicken pox		Nemaha County.	. 14
Conjunctivitis (suppurative)		Norfolk	. 12
Diphtheria		Omaha	. 13
German measles		Scattering	. 16
Influenza		Lethargic encephalitis—Omaha	. 1
Lethargic encephalitis	2	Measles	. 4
Measles		Mumps	. 2
Mumps	121	Scarlet fever:	
Ophthalmia neonatorum	14	Adams County	. 14
Pellagra	1	Omaha.	. 10
Pneumonia (lobar)		Scattering.	67
Poliomyelitis	4	Typhoid fever	. 5
Scarlet fever	207	NEW JERSEY.	
Septic sore throat	4	Anthrax	. 1
Smallpox	1	Chicken pox	. 161
Trachoma	5	Cerebrospinal meningitis	. 1
Tuberculosis (all forms)	168	Diphtheria	. 295
Typhoid fever		Dysentery	. 1
Whooping cough	297	Influenza	. 10
MICHIGAN.		Measles	
Diphtheria	326	Pneumonia	
Measles.		Poliomyelitis	
Pneumonia		Scarlet fever	
Scarlet fever		Smallpox	
		Typhoid fever	. 21
Smallbox	12		
Smallpox		Whooping cough.	
Tuberculosis	56		
	56 27	Whooping cough	. 146
Tuberculosis	56 27	Whooping cough	. 146 . 34
Tuberculosis Typhoid fever Whooping cough MINNESOTA.	56 27 122	Whooping cough	. 146 . 34 . 31
Tuberculosis. Typhoid fever. Whooping cough. MINNESOTA. Chicken pox.	56 27 122 21	Whooping cough. NEW MEXICO. Chicken pox Diphtheria.	. 146 . 34 . 31
Tuberculosis. Typhoid fever. Whooping cough MINNESOTA. Chicken pox. Diphtheria.	56 27 122 21 230	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia.	. 146 . 34 . 31 . 2
Tuberculosis. Typhoid fever. Whooping cough MINNESOTA. Chicken pox. Diphtheria. Measles.	56 27 122 21 230 1	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever.	. 146 . 34 . 31 . 2
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles. Pneumonia.	56 27 122 21 230 1 6	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis.	. 146 . 34 . 31 . 20 . 10
Tuberculosis. Typhoid fever. Whooping cough MINNESOTA. Chicken pox. Diphtheria. Measles.	56 27 122 21 230 1 6 219	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough.	. 146 . 34 . 31 . 2 . 10
Tuberculosis Typhoid fever Whooping cough Chicken pox Diphtheria Measles Pneumonia Scarlet fever	56 27 122 21 230 1 6 219 49	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK.	. 146 . 34 . 31 . 2 . 10
Tuberculosis Typhoid fever Whooping cough MINNESOTA Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox	56 27 122 21 230 1 6 219 49 44	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough.	. 146 . 34 . 31 . 2 . 10
Tuberculosis Typhoid fever Whooping cough MINNESOTA Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis	56 27 122 21 230 1 6 219 49 44 6	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.)	. 146 . 34 . 31 . 20 . 10 . 28 . 10
Tuberculosis Typhoid fever Whooping cough MINNESOTA Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough	56 27 122 21 230 1 6 219 49 44 6	Whooping cough. NEW MEXICO. Chicken pox Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria.	. 146 . 34 . 31 . 28 . 10 . 28
Tuberculosis Typhoid fever Whooping cough Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI.	56 27 122 21 230 1 6 219 49 44 6	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.)	. 146 . 34 . 31 . 2 . 10 . 28 . 10 . 1
Tuberculosis Typhoid fever Whooping cough MINNESOTA Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough	56 27 122 21 230 1 6 219 49 44 6 2	Whooping cough. NEW MEXICO. Chicken pox Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza.	. 146 . 34 . 31 . 2 . 10 . 28 . 10 . 1
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles Pneumonla Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI Dengue	56 27 122 21 230 1 6 219 49 44 6 2	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis.	. 146 . 34 . 31 . 2 . 10 . 28 . 10 . 1
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria. Measles. Pneumonia. Scarlet fever Smallpox. Tuberculosis Typhoid fever Whooping cough MISSISSIPPI. Dengue. Diphtheria.	56 27 122 21 230 1 6 219 49 44 6 2	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia.	. 146 . 34 . 31 . 28 . 10 . 1 . 258 . 16 . 1 . 155 . 178
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox.	56 27 122 21 230 1 6 219 49 44 6 2	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles.	. 146 . 34 . 31 . 22 . 10 . 1 . 155 . 178 . 8
Tuberculosis Typhoid fever Whooping cough Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough Mississippi Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever Typhoid fever	56 27 122 21 230 1 6 219 49 44 6 2 123 48 7 2	NEW MEXICO. Chicken pox Diphtheria Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough NEW YORK. (Exclusive of New York City.) Diphtheria Influenza Lethargic encephalitis Measles Pneumonia Poliomyelitis	. 146 . 34 . 31 . 28 . 10 . 1 . 258 . 16 . 1 155 . 178 . 8
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever	56 27 122 21 230 1 6 219 49 44 6 6 2	Whooping cough. NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia. Poliomyelitis. Scarlet fever.	. 146 . 34 . 31 . 2 . 10 . 28 . 10 . 1 . 155 . 178 . 8 . 283
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPFI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Whooping cough MISSISSIPFI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Smallpox Typhoid fever MISSOURI Chicken pox	56 27 122 21 230 1 6 219 49 44 6 2 123 48 7 7 2 6	NEW MEXICO. Chicken pox Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox.	. 146 . 34 . 31 . 28 . 10 . 1 . 258 . 16 . 155 . 178 . 8 . 283 . 1
Tuberculosis Typhoid fever Whooping cough MINNESOTA Chicken pox Diphtheria Measles Pneumonla Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPFI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Whooping cough MISSISSIPFI Dengue Diphtheria Chicken pox Diphtheria	56 27 122 21 230 1 6 219 49 44 6 2 2 123 48 7 2 6	NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever. Whooping cough	. 146 . 34 . 31 . 28 . 10 . 1 . 258 . 16 . 155 . 178 . 8 . 283 . 1
Tuberculosis Typhoid fever Whooping cough Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough Mississippi Dengue Diphtheria Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough Mississippi Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Missouri Chicken pox Diphtheria Epidemic sore throat	56 27 122 21 230 1 6 219 49 44 6 2 123 48 7 2 6 6 27 106 5	NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever. Whooping cough.	. 146 . 34 . 31 . 28 . 10 . 1 . 28 . 10 . 1 . 155 . 178 . 283 . 1 . 276
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox Tuberculosis Typhoid fever Whotoping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever MISSOURI Chicken pox Diphtheria Epidemic sore throat Influenza	56 27 122 21 230 1 6 219 49 44 6 2 123 48 7 2 6 6 2 106 5 6	NEW MEXICO. Chicken pox Diphtheria Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough NEW YORK. (Exclusive of New York City.) Diphtheria Influenza Lethargic encephalitis Measles Pneumonia Poliomyelitis Scarlet fever Smallpox Typhoid fever Whooping cough NORTH CAROLINA. Chicken pox	. 146 . 34 . 31 . 20 . 10 . 10 . 10 . 11 . 155 . 178 . 8 . 283 . 1 . 277 . 256
Tuberculosis . Typhoid fever . Whooping cough . Chicken pox . Diphtheria . Measles . Pneumonia . Scarlet fever . Smallpox . Tuberculosis . Typhoid fever . Whooping cough . MISSISSIPFI . Dengue . Diphtheria . Scarlet fever . Smallpox . Typhoid fever . Whooping cough . MISSISSIPFI . Dengue . Diphtheria . Scarlet fever . Smallpox . Typhoid fever . MISSOURI . Chicken pox . Diphtheria . Epidemic sore throat . Influenza . Measles .	56 27 122 21 230 1 6 219 44 44 6 2 123 48 7 7 2 6 5 6 5 6 2	NEW MEXICO. Chicken pox Diphtheria Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough NEW YORK. (Exclusive of New York City.) Diphtheria Influenza Lethargic encephalitis Measles Pneumonia Poliomyelitis Scarlet fever Smallpox Typhoid fever Whooping cough NORTH CAROLINA. Chicken pox Diphtheria	. 146 . 34 . 31 . 20 . 10 . 10 . 11 . 258 . 178 . 283 . 1 27 . 256 . 114 . 293
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox. Diphtheria. Measles. Pneumonia. Scarlet fever Smallpox. Tuberculosis Typhoid fever Whooping cough MISSISSIPPI. Dengue. Diphtheria. Scarlet fever. Smallpox Typhoid fever Mississippi. Chicken pox. Diphtheria. Epidemic sore throat Influenza. Measles. Mumps.	56 27 122 21 230 1 6 219 44 6 6 2 123 48 7 2 6 6 2 106 5 6 6 2 106 6 2 106 6 6 6 7 106 6 7 106 6 7 106 6 7 106 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 7 106 106 7 106 7 106 7 106 7 106 7 106 7 106 106 106 106 106 106 106 106 106 106	NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever. Whooping cough NORTH CAROLINA. Chicken pox. Diphtheria. German measles.	. 146 . 34 . 31 . 20 . 10 . 28 . 10 . 1 . 15 . 258 . 16 . 1 . 155 . 178 . 8 . 8 . 283 . 1 . 27 . 256
Tuberculosis . Typhoid fever . Whooping cough . Chicken pox . Diphtheria . Measles . Pneumonia . Scarlet fever . Smallpox . Tuberculosis . Typhoid fever . Whooping cough . MISSISSIPFI . Dengue . Diphtheria . Scarlet fever . Smallpox . Typhoid fever . Whooping cough . MISSISSIPFI . Dengue . Diphtheria . Scarlet fever . Smallpox . Typhoid fever . MISSOURI . Chicken pox . Diphtheria . Epidemic sore throat . Influenza . Measles .	56 27 122 21 230 1 6 219 49 44 6 6 2 123 48 7 2 6 6 5 6 6 2 2 2 2	NEW MEXICO. Chicken pox Diphtheria Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough NEW YORK. (Exclusive of New York City.) Diphtheria Influenza Lethargic encephalitis Measles Pneumonia Poliomyelitis Scarlet fever Smallpox Typhoid fever Whooping cough NORTH CAROLINA. Chicken pox Diphtheria German measles Measles Measles	. 146 . 34 . 20 . 10 . 28 . 10 . 1 . 155 . 178 . 8 . 8 . 283 . 11 . 276 . 256
Tuberculosis Typhoid fever Whooping cough Minnesota Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough Mississippi Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Whooping cough Mississippi Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Smallpox Typhoid fever Missouri Chicken pox Diphtheria Epidemic sore throat Influenza Measles Mumps Pneumonia	56 27 122 21 230 1 6 219 44 6 2 123 48 7 2 6 6 2 2 2 85	NEW MEXICO. Chicken pox. Diphtheria. Pneumonia. Scarlet fever. Tuberculosis. Typhoid fever. Whooping cough. NEW YORK. (Exclusive of New York City.) Diphtheria. Influenza. Lethargic encephalitis. Measles. Pneumonia. Poliomyelitis. Scarlet fever. Smallpox. Typhoid fever. Whooping cough.	146 344 311 283 100 288 100 11 155 178 8 283 11 277 256 1144 293 5 34
Tuberculosis Typhoid fever Whooping cough MINNESOTA. Chicken pox Diphtheria Measles Pneumonia Scarlet fever Smallpox Tuberculosis Typhoid fever Whooping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever Whotping cough MISSISSIPPI Dengue Diphtheria Scarlet fever Smallpox Typhoid fever MISSOURI Chicken pox Diphtheria Epidemic sore throat Influenza Measles Mumps Pneumonia Searlet fever	56 27 122 21 230 1 6 219 44 6 6 2 2 106 5 6 6 2 2 2 2 5 5 28	NEW MEXICO. Chicken pox Diphtheria Pneumonia Scarlet fever Tuberculosis Typhoid fever Whooping cough NEW YORK. (Exclusive of New York City.) Diphtheria Influenza Lethargic encephalitis Measles Pneumonia Poliomyelitis Scarlet fever Smallpox Typhoid fever Whooping cough NORTH CAROLINA. Chicken pox Diphtheria German measles Measles Measles	. 146 . 34 . 31 . 28 . 10 . 28 . 10 . 15 . 155 . 178 . 8 . 283 . 1 . 27 . 256 . 114 . 293 . 3 . 3 . 3 . 3 . 3 . 3 . 10 . 10 . 10 . 10 . 10 . 10 . 10 . 10

Typhoid fever	NORTH CAROLINA—continued. Cas	ses [WASHINGTON—continued. Cas	P9.
Typhoid fever 10 Whooping cough 20 Whooping cough 10 Carebrospinal meningitis 1 1 Chicken pox 22 Diphtheria 22 Diphtheria 3 Carebrospinal meningitis 1 1 Chicken pox 22 Diphtheria 3 Carebrospinal meningitis 1 Chicken pox 1 Carebrospinal meningitis 1 Chicken pox 1 Chicken pox 2 Carebrospinal meningitis 3 Carebrospinal meningitis 3	Small DOX	17	Typhoid fever	9
Cerebrospinal meningitis.	Typhoid fever	10	Whooping cough	20
Diphtheria: 1	Whooping cough	100	WEST VIRGINIA.	
Carebrospinal moningitis.	OREGON.		Diphtheria:	
Chicken pox 22 Factering 30			Charleston	
Diphtheria:	Cerebrospinal meningitis	- 1		
Portland				
Seatering Seater Seater	Portland	12		-
Influenta.				. •
Leprosy	Influenza	,	WISCONSIN.	
Measles	Leprosy			25
Page			Diphtheria	
Searlet lever Portland Postering Seatering S	Mumps	- 1		
Portland		-		
Seattering		9		_
Smallpox				
Tuberculosis				
Texas				
TELAS.				113
Measles. 132	Whooping cough	•		
Precumonia 3 Prec	TEXAS.			
Dengue	Combractical manipuitie	3		
Diphtheria				
Influensa				
Preumonia				
Scarlet fever			Tuberculosis	23
Smallpox				-
WASHINGTON.			Whooping cough	68
Chicken pox			WYOMING.	
Chicken pox	••		Chicken pox	
Diphtheria 23 Measles 1	WASHINGTON.			
Numps			•	
Preumonia				
Poliomyelitis—King County				
Reports for Week Ended November 11, 1922. DISTRICT OF COLUMBIA. Cases. Chicken pox 13 Diphtheria 25 Smallpox 1 Trachoma 1 Trachoma			i e	
Reports for Week Ended November 11, 1922. DISTRICT OF COLUMBIA. Cases. KENTUCKY—continued. Cases.			Typhoid fever	2
DISTRICT OF COLUMBIA. Cases. KENTUCKY—continued. Cases.	Smallpox	. 12	Whooping cough	4
DISTRICT OF COLUMBIA. Cases. KENTUCKY—continued. Cases.	Donanta for Wook	Fac	lad Navamber 11 1999	
Chicken pox 13 Septic sore throat 5 Diphtheria 25 Smallpox 1 Measles 2 Tonsilititis 1 Scarlet fever 15 Trachoma 1 Tuberculosis 9 Tuberculosis 9 Typhoid fever 1 Tuberculosis 9 Typhoid fever 14 Whooping cough 13 Whooping cough MAINE MAINE Cerebrospinal meningitis—Rowan County 1 Chicken pox 13 Diphtheria: 1 Diphtheria 52 Diphtheria: 1 Measles 22 Scattering 39 Pneumonia 11 Influenza 1 Poliomyelitis 1 Influenza 1 Poliomyelitis 1 Measles—Henderson County 28 Tuberculosis 24 Pneumonia 25 Typhoid fever 1 Scarlet fever 25 Whooping cough 49	Reports for week	LIR	led November 11, 1922.	
Chicken pox	DISTRICT OF COLUMBIA. C	ases.		
Diphtheria 25 Measles 2 Tonsilitis 1 Measles 2 Tonsilitis 1 Trachoma 1 Tuberculosis 9 Tuberculosis 9 Typhoid fever 14 Typhoid fever 14 Whooping cough 8 MAINE	Chicken pox	13		
Measles 2 2 3 4 4 5 5 5 6 6 6 7 7 7 6 6 7 7	Diphtheria	25		
Scarlet fever				
Typhoid fever 1			Tuberculosis	9
Whooping cough S Whooping cough S			Typnoid lever	
Maine Main			Whooping cough	13
Cerebrospinal meningitis—Rowan County			MAINE.	
Cerebrospinal meningitis—Rowan County 1 Chicken pox. 13 Chicken pox 9 Diphtheria 52 Diphtheria: 1 Influenza 1 Jeferson County 29 Measles 22 Scattering 39 Pneumonia 11 Influenza 17 Poliomyclitis 1 Measles—Henderson County 28 Scarlet fever 25 Measles—Henderson County 28 Tuberculosis 4 Pneumonia 25 Typhoid fever 1 Scarlet fever 15 Whooping cough 49	KENTUCKY.		Cerebrospinal meningitis	1
Chicken pox 9 Diphtheria 52 Diphtheria: Influenza. 1 Jefferson County 29 Measles. 22 Scattering 39 Pneumonia. 11 Influenza. 17 Poliomyclitis 1 Malaria. 2 Scarlet fever. 25 Measles—Henderson County. 28 Tuberculosis. 4 Pneumonia. 25 Typhoid fever. 1 Scarlet fever. 15 Whooping cough 49	Cerebrospinal meningitis-Rowan County	1		. 13
Jefferson County 29 Measles 22		9		
Scattering 39 Pneumonia 11			1	
Influenza 17 Poliomyelitis 1 Malaria 2 Scarlet fever 25 Measles—Henderson County 28 Tuberculosis 4 Pneumonia 25 Typhoid fever 1 Scarlet fever 15 Whooping cough 49				
Malaria 2 Scarlet fever 25 Measles—Henderson County 28 Tuberculosis 4 Pneumonia 25 Typhoid fever 1 Scarlet fever 15 Whooping cough 49				
Measles—Henderson County 28 Tuberculosis 4 Pneumonia 25 Typhoid fever 1 Scarlet fever 15 Whooping cough 49				
Pneumonia. 25 Typhoid fever. 1 Scarlet fever. 15 Whooping cough. 49			Tuberculosis	
to whooping congestion	Pneumonia	25		
¹ Deaths.	Scarlet fever	15	Whooping cough	49
	¹ Deaths.			

NORTH DAKOTA.		NORTH DAKOTA—continued.	
Case	es.	Case	
Cerebrospinal meningitis	1	Scarlet fever	22
Chicken pox	3	Smallpox	
Diphtheria		Tuberculosis	
Mumps	1	Typhoid fever	3
Pneumonia	6	Whooping cough	7
Poliomyelitis	2		٢

SUMMARY OF CASES REPORTED MONTHLY BY STATES.

The following summary of monthly State reports is published weekly and covers only those States from which reports are received during the current week:

State.	Cerebrospinal meningitis.	Diphtheria.	Influenza.	Malaria.	Measles.	Pellagra.	Pollomyelitis.	Scarlet fever.	Smallpox.	Typhoid fever.
September, 1922. Montana New Mexico North Dakota October, 1922.		29 89 34	1 2	<u>2</u>	4 1 3		9 2	34 23 33	14 7	39 83 6
Louisiana Michigan Montana New Mexico New York North Dakota West Virginia	2 1 20 1 5	109 1, 122 25 117 1, 488 90 477	34 1 163 19	120 3 2 53	2 59 1 2 463 3 37	4	1	21 1,081 50 35 1,126 87 344	14 39 42 42 42 20	65 173 15 94 302 31 168

MALTA FEVER.

Baltimore, Md.

One case of Malta fever was reported in Baltimore, Md., under date of November 16, 1922.

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922.

CEREBROSPINAL MENINGITIS.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre-		4. 1922.		Median for pre-	Week ended Nov. 4, 1922.		
0.1.3.0	vious years.	Cases.	Deaths.		vious years.	Cases.	Deaths.	
California: Oakland Illinois: Chicago Massachusetts: Boston Leominster Michigan: Detroit New York:	0 3 1 0	1 1 1	1 1	Oregon: Portland Pennsylvania: Allentown Canonsburg Tennessee: Nashville Utah: Salt Lake City.	0 0 0	1 1 1 1	.1 1 1	
New York Port Chester	3 0	4	3 1					

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922—Continued.

DENGUE.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Florida: Tampa Georgia: Albany Macon	3 7 25		South Carolina: Charleston	16	1

DIPHTHERIA.

See p. 2917; also Current State summaries, p. 2906; and Monthly summaries, by States, p. 2910.

INFLUENZA.

	Cas	es.	Deaths,		Cas	es.	Deaths
City.	Week ended Nov. 5, 1921.	Week ended Nov. 4, 1922.	week ended Nov. 4, 1922.	City,	Week ended Nov. 5, 1921.	Week ended Nov. 4, 1922.	week ended Nov. 4 1922.
Alabama: Mobile Mobile Mobile Arkansas: Little Rock Alifornia: Los Angeles Oakland San Diego Santa Ana Connecticut: Meriden Meriden New London District of Columbia: Washington Florida: Tampa Georgia: Atlanta Idaho: Pocatello Illinois: Chicago Indiana: Hammond Kansas: Wichita Wichita Kentucky:	1 4 3	7 2 3 3 3 2 1 1 2 2 1 1 10	3 1 2	Michigan: Detroit Grand Rapids. Hamtramck. Minnesota: Mankato Missouri: Independence Kansas City New Jersey: Bloomfield Hackensack. Hoboken. Jersey City Kearny Montclair Newark. Paterson Trenton. New York: Albany Buffalo New York North Carolina: Greensboro Ohio: Cincinnati	1 1 6 3 7 1 20	1 1 1 1 3 3 41	
Lexington Louisville Louisiana: Baton Rouge New Orleans	2	3 1 6	4	Oklahoma: Oklahoma Pennsylvania: Philadelphia Rhode Island: Providence		2	
Maine: Bangor Maryland: Baltimore. Cumberland Massachusetts: Boston. Fall River Lynn Malden Quincy Saugus.	8 2 1	5 1	1	Frovidence: South Dakota: Sioux Falls. Utah: Salt Lake City. Virginia: Danville. Roanoke Wisconsin: Kenosha.	2 3		

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922-Continued.

LEPROSY.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Connecticut: Hartford	1		Louisiana: New Orleans	1	
	LETI	HARGIC E	INCEPHALITIS.		
	C	ity.		Cases.	Deaths
Massachusetts: Everett				1	··-
		MAL	ARIA.		
City.	Cases.	Deaths.	City.	Cases.	Deaths
Alabama:			Louisiana:	2	
Birmingham	50		New Orleans	2	
Sacramento	3 1		Boston	1	
San Francisco Georgia:			New York: New York	2	
Augusta	2 2 3	1	Pennsylvania:		
MaconSavannah	3		Philadelphia	1	• • • • • • • •
llinois:			Memphis	8	<u> </u>
					ł
See p. 2917: also Curr	rent Stat		Texas: Abilene	ly summ	aries l
See p. 2917; also Curi	rent Stat	MEA	A bileno		aries t
See p. 2917; also Curi	cases.	MEA	Abilene		Death
See p. 2917; also Curr States, p. 2910.		MEA te summa	Abilene	ly summ	
See p. 2917; also Curi States, p. 2910. City. Massachusetts: Fall River		MEA te summa	Abilene	ly summ	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River	Cases.	MEA te summa	Abilene SLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas. El Paso	ly summ	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina:	Cases.	MEA te summa PELI Deaths.	Abilene SSLES. Aries, p. 2906; and Month AGRA. City. Texas: Abilene. Dallas. El Paso. Houston.	ly summ	
See p. 2917; also Curi States, p. 2910. City. Massachusetts: Fall River North Carolina: Winston-Salem	Cases.	MEA te summa PELI Deaths.	Abilene SSLES. Aries, p. 2906; and Month AGRA. City. Texas: Abilene. Dallas. El Paso. Houston.	ly summ	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River North Carolina: Winston-Salem. South Carolina:	Cases.	MEA te summa PELI Deaths.	Abilene SILES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallass El Paso Houston Virginia: Norfolk	ly summ	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River North Carolina: Winston-Salem. South Carolina:	Cases.	MEA te summa PELI Deaths.	Abilene SILES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas: El Paso Houston. Virginia: Norfolk. (ALL FORMS).	ly summ	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River North Carolina: Winston-Salem. South Carolina: Greenville	Cases.	MEA te summa PELI Deaths.	Abilene SLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas El Paso. Houston. Virginia: Norfolk. (ALL FORMS).	ly summ	
See p. 2917; also Curi States, p. 2910. City. Massachusetts: Fall River North Carolina: Winston-Salem South Carolina: Greenville Alabama: Birmingham Montgomery	Cases.	MEA te summa PELI Deaths.	Abilene SLES. Aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas. El Paso Houston. Virginia: Norfolk. (ALL FORMS). Connecticut: Bridgeport. Pairfield.	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River North Carolina: Winston-Salem. South Carolina: Greenville Alabama: Birmingham Montgomery Arizona:	Cases.	MEA te summ: PELI Deaths. 1 1 1	Abilene City. Texas: Abilene Dallas: El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield Greenwich	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham Montgomery Arizona: Tucson.	Cases.	MEA te summa PELI Deaths. 1 1	Abilene SLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield Greenwich Hartford	Cases.	
See p. 2917; also Curi States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham Montgomery Arizona: Tucson California: Los Angeles	Cases.	MEA te summa PELI Deaths. 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Abilene SSLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield Greenwich Hartford Manchester Meriden	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham Montgomery Arizona: Tucson California: Los Angeles Oakland.	Cases.	MEA te summa PELI Deaths. 1 1 1 1 1 1 2 2	Abilene SSLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield Greenwich Hartford Manchester Meriden	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham. Montgomery. Arizona: Tucson. California: Los Angeles Oakland. Pasadena.	Cases.	MEA te summa PELI Deaths. 1 1 1 1 12 2 1	Abilene SSLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas: El Paso Houston. Virginia: Norfolk. (ALL FORMS). Connecticut: Bridgeport Pairfield. Greenwich Hartford Manchester Meriden New Haven New London	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham. Montgomery. Arizona: Tucson. California: Los Angeles. Oakland. Pasadena. Sacramento. San Bernardino.	Cases. 1 PNI 32 4	MEA te summa PELI Deaths. 1 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1	Abilene SSLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallass El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield Greenwich Hartford Manchester Meriden New Haven New London District of Celumbia: Washington	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham Montgomery Arizona: Tucson California: Los Angeles Oakland. Pasadema. Sacramento. San Bernardino San Diego.	Cases. PNI 32 4 33 33	MEA te summa PELI Deaths. 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Abilene SLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield. Greenwich Hartford Manchester. Monden. New Hondon District of Celumbia: Washington Florida:	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville Alabama: Birmingham Montgomery. Arizona: Tucson California: Los Angeles Oakland. Pasadena Sacramento. San Diego. San Francisco. Stockton.	Cases. 1 PNI 32 4	MEA te summa PELI Deaths. 1 1 1 2 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Abilene SSLES. aries, p. 2906; and Month LAGRA. City. Texas: Abilene Dallas El Paso Houston Virginia: Norfolk (ALL FORMS). Connecticut: Bridgeport Pairfield Greenwich Hartford Manchester Moriden New Haven New Londoa District of Celumbia: Washington Florida: Key West	Cases.	
See p. 2917; also Curr States, p. 2910. City. Massachusetts: Fall River. North Carolina: Winston-Salem. South Carolina: Greenville. Alabama: Birmingham. Montgomery. Arizona: Tucsom. California: Los Angeles. Oakland. Pasadena. Sacramento. San Bernardino. San Diego. San Francisco.	Cases. PNI 32 4 33 33	Deaths.	Abilene SSLES. Aries, p. 2906; and Month LAGRA. City. Texas:	Cases.	

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922—Continued.

PNEUMONIA (ALL FORMS)—Continued.

City.	Cases.	Deaths.	City.	Cases.	Deaths
			Wishiman Continued		
linois:		1	Michigan—Continued. Grand Rapids	2	
Alton		i l	Kalamazoo		• • • • • • • •
Aurora		î	Marquette	i	
Bloomington		i	Saginaw	• • •	• • • • • • •
Blue Island	144	44	Sault Ste. Marie	i	
Chicago	144	ï		1 1	• • • • • • • •
Chicago Heights	2	- 1	Minnesota:	اما	
Cicero	1	••••••	Duluth	6	
	l il		Hibbing		
Forest Park	•	i	MinneapolisSt. Paul		
Freeport		2		1	
Galesburg Kewanee	4	i	Missouri:	1 1	
Kewanee	.3	·····i	Independence		
La Salle	0	- 1	Kansas City St. Joseph	17	• •
Pekin		2	St. Joseph		
Peoria		ĩ	Springfield		
Quincy Springfield		î	Montana:	1 1	
Springheid			Butte	l	
diana:	1	3	Nebraska:	1 1	
Fort wayne	1	ı	Lincoln	. 1	
Gary		i	Omaha		
Hammond		8	New Hampshire:	"	
Indianapolis		1 1	Nashua		
South Bend	1	1 1	More Torrow	1	
Terre Haute	1	1 1	Atlantic CityBloomfield	.]	
wa:	2	1	Bloomfield	. 1	
Burlington		i	East Orange	. 1	
Council Bluffs	• • • • • • • • • • • •		l Garheld	.] 1	
ansas:	. 4		Hoboken	1	
Kansas City	. *	i	Jersey City	. 5	
Leavenworth	-		Montclair		
Parsons	. 1		ll (Fange	. 1	l
Topeka	. 1	2	Paggair	.	1
Wichita			Paterson	. 2	
Centucky:	1	1 1	Paterson. Perth Amboy.	.	
Lexington	• • • • • • • • • • • • • • • • • • • •	10	Plainfield	-	1
Louisville	• • • • • • • • • • • • • • • • • • • •	10	Trenton	.i 9	
ouisiana: _	1 _	1	West Hoboken West Orange	. 1	
Baton Rouge	. 1		West Orange	.] 3	1
New Orleans	. 19	11	New York:		1
faine:	i	١ .	Auburn	. 2	ł
Lewiston		1 2	Hornell	-	1
Portland	-1	2 2 1	Ithaca	.1	.1
Sanford		. 1	Lackawanna	2	'l
faryland:	l .	١.	Lockport	·1	
Cumperiana		. 1	Middletown		1
lassachusetts:	1 .	1	New York	. 190	1
Attleboro	1		Miogara Falls	.1 4	1
Boston		. 18	Plattsburgh		.1
Brookline	1		Port Chester	2	1
Cambridge	3		Rochester	9	1
Chelsea	3	. 3	Rome	. 2	l
Chicopee		: i	Saratoga Springs		
Dedham		: i	Rome		
Easthampton		il i	Syracuse	24	
Fall RiverFramingham	·· ²	i	Troy	0	
rraminguam			II White Plains	2	
Greenfield			Vonkers		-
Haverhill		i	ii Ohio:	i i	1
Holyoke	. · · · · i		II A Prom	6	
Leominster	••• '				-
Lowell	::		Cincinnati		-
Lynn		· •			
Melrose			Coshocton Dayton	1	
New Bedford	1		Dayton	1	
NewburyportPittsfield		··i	Findlay		١
Pl		3	Findlay. Hamilton. Kenmore.		
Plymouth		i	Kenmore		١]
QuincySomerville			Lima		1
Somerville		3 1	Tiffin	ة امما	2
Southbridge			Toledo		
Springfield	•••		Youngstown		!
Taunton			YoungstownZanesville		
Waltham	•••	1	Oklahoma:	1	1
Watertown			Oklahoma		1
Worcester	1	0 :	Orogon:		į.
Michigan:	1		Oregon: Portland		
Ann Arbor	1	2	1 Portland		
Battle Creek		ī	. Pennsylvania:	1	5

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922—Continued.

PNEUMONIA (ALL FORMS)-Continued.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
Rhode Island: Providence Tennessee: Memphis. Nashville. Texas: A bilene. Beaumont. Dallas El Paso. Fort Worth Houston. Utah: Salt Lake City. Virginia: Norfolk. Portsmouth.	2	1 2 1 1	Virginia—Continued. Richmond. Roanoke West Virginia: Charleston. Huntington. Wisconsin: Beloft. Kenosha. Madison. Milwaukee. Racine Superior. Wyoming:	1 3	

POLIOMYELITIS (INFANTILE PARALYSIS).

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

for	Median for pre-	Week ended Nov. 4, 1922.		City.	Median for pre-	Week en ded Nov. 4, 1922.	
CAU,	vious years.	Cases.	Deaths.		years.	Cases.	Deaths.
California: Los Angeles Connecticut: Derby	. 0	1	2	Missouri: St. Louis New York: New York.	0	1 9	
Fairfield	0	1	l	Syracuse	ő	Ï	
New Haven Illinois:	1	4	······	White Plains Pennsylvania:	0	2	
Chicago	3	4		Philadelphia Tennessec:	0	1	
Gary Massachusetts:		1		Memphis Washington:	0	1	
Boston	0	3		Seattle	0	1	

RABIES IN ANIMALS.

City.	Cases.	City.	Cases.
California: Los Angeles. Kentucky: Louisville.		Massachusetts: Medford Missouri: Kansas City	1

RABIES IN MAN.

	City.	Cases.	Deaths.
Massachusetts: Boston		1	1
Malden			1

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922—Continued. SCARLET FEVER.

See p. 2917; also Current State summaries, p. 2936; and Monthly summaries by States, p. 2910.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

for pr	Median for pre-		ended 4, 1922.	City.	Median for pre-	Week ended Nov. 4, 1922.		
City.	vious years.	Cases.	Deaths.		vious years.	Cases. De	Deaths.	
California: Oakland San Francisco. Colorado: Denver Connecticut: Bridgeport Georgia: Albany Idaho: Boise. Indiana: Indianapolis Iowa: Council Bluffs. Sioux City	0 0 4 0 0 3 1	5 2 30 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	26	Minnesota: Duluth St. Paul Missouri: Joplin. Ohio: Cleveland Pertland Pennsylvania: Johnstown West Virginia: Clarksburg Wisconsin: Ashland Milwaukee Superior	0 4 0 2 0	10 2 1 2 8 1 1 2 1 20		

TETANUS.

City.	Cases.	Deaths.	City.	Cases.	Deaths.
California: San Francisco Illinois: Quincy Kentucky: Louisvile Maine: Portland Nebraska: Omaha		1 1	New York: New York. Pennsylvania: Philadelphia. Texas: Abilene. Houston.	2 3	1 i

TUBERCULOSIS.

See p. 2917; also Current State summaries, p. 2906.

CITY REPORTS FOR WEEK ENDED NOVEMBER 4, 1922—Continued. TYPHOID PRVER.

The column headed "Median for previous years" gives the median number of cases reported during the corresponding weeks of the years 1915 to 1921, inclusive. In instances in which data for the full seven years are incomplete, the median is that for the number of years for which information is available.

City.	Median for pre- vious		en ded 4, 1922.	City.	Median for pre- vious	Week ended Nov. 4, 1922.	
	years.	Cases.	Deaths.		years.	Cases.	Death
Alabama:				New Jersey:			
Birmingham	3	1		Paterson	0	1	••••
Mobile	1	1		Rahway	0		
rkansas:	_		1	Trenton	0		
Hot Springs	0	1		New York:			ĺ
North Little Rock	0	2		New York	30	13	
alifornia:	5	4	:	Peekskilt	0	1	• • • • • •
Los Angeles Sacramento	i	i		Rochester Watertown	l O	1	
San Francisco	2	2	1	North Carolina:	"		
olorado:		_		Raleigh	9	1	l
Denver	9	1		Ohie:	"	-	
onnecticut:				Ashtabula	1 1	2	
Hartford	. 0	1		Canton	9	2	
New Haven	, 1	1	1	Canton Cincinnati	0	2	
Norwalk	•		. 1	Lorain	0	1	
District of Columbia:		1 -	1	Zanesville	0	1	
Washington	4	2		Oklahoma:			ŀ
lorida:	0	1		Oklahoma	1	1	
Tampa	U	1		Tulsa Oregon:	0	2	
Macon	0	1	1	Oregon: Portland	9	4	l
Rome.		l î		Pennsylvania:		-	••••
Savannah	ŏ	2		Allentown	0	2	ł
Hinois:	1	1 -		Braddock	ě	2	
Chicago	11	6		Chester	ŏ	2	
Matteon	0	2		Contesville	ŏ	ī	
Springfield	. 0	4		Easton.	lŏ	i	
ndiana:	1	!		Lancaster	0	1	
Anderson	. 0	1		Meadville	0	1	
Fort Wayne	0	3		Philadelphia		7	1
Huntington Kokomo	1	1		Reading	1	1	
Kokomo	0	1		Rhode Island:			ļ
La Fayette	0	2		Pawtucket	0	1	
South Bend		1		South Dakota:	1		1
Muscatine	. 0	1	1	Sioux Falls	0	1	
Waterloo	Ö	2		Chattanooga	0	1	l
Cansas:		1 ~		Knoxville.	ŏ	26	
Leavenworth	. 0	1 1	1	Memphis	ľ	3	
Centucky:	1	[Nashville	3	4	
Lexington		1		Texas:	i	_	i
Louisville	. 2	6		Abilene	. 0	2	1
ouisiana:		١.	1	El Paso	. 2	3	
New Orleans	. 3	4		Utah:		! _	ł
faryland: Cumberland	. 1	2	1	Salt Lake City	. 2	1	
fassachusetts:		2		Virginia:			1
	. 3	1	1	Norfolk	. 0	1 1	
Boston. Fall River	i i	l î		Tacoma	0	1	į.
Lynn	. i	l i		Yakima	l ŏ	1 4	1
Pittsfield	. 0	2	1	Yakima West Virginia:	1	1 -	1
Quincy	. 0	2		Bluefield.	. 1	·	1
Southbridge	. 0	2	1	Charleston	. 0	2	l
Worcester	. 0	1		Clarksburg	.		
lichigan:	1 .	١.		Fairmont	. 0	1	
Ann Arbor	. 0	1		Morgantown	. 0	1	
Detroit Ironwood	. 9	8	1 1	Wheeling	. 0		·
Muskegon	: 8			Wisconsin: Green Bay	. 0	1	1
linnesota:		1 1		Kenesha	: 8	1	·····
Minneapolis	. 2	1	1	La Cresse	. 6	li	1
Rochester				Superior		i	
Aissouri:	1	1 *		Wyoming:	1 0	1 *	1
Joplin	. 0	1	1	Cheyenne	. 0	1	l
St. Louis	. 9	5			Ī	1	1
dontana:	1		İ	II .	i	1	[
Missoula	. 0	1	. 1	H	i	1	

TYPHUS FEVER.

City.	Cases.	Deaths.
Georgia: Atlanta		
Atlanta	2	

	D	Total	Dipht	heria.	Meas	iles.	Scar fev		Tube	rcu-
. City.	Population Jan. 1, 1920.	deaths from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases:	Deaths.
Alabama:										
Birmingnam	178,806 60,777 43,464	67 23	11	1			2	1	5	2 3
Montgomery Tuscaloosa	43, 464 11, 996	16	2				•••••	• • • • •	2	1
Arizona;	1							•••••		
TucsonArkansas:	20, 292	14		1			•••••	• • • • • •		5
Hot Springs	11,695	4	2 5		i	•••••	1 2		·····	• 1
Little Rock North Little Rock	65, 142 14, 048		ĭ				2			• • • • • • • • • • • • • • • • • • •
California: Alameda	28,806	5	4		}		2			
Eureka	12,923	1 6		i			5		i	i
GlendaleLong Beach	13, 536 55, 593	7 7	2				3		····i	
	55, 593 576, 673 216, 261	186 52	119	6	2		33 7		55 2	18 4
Oakland	45,354	14					· · · · ·	i		ī
Richmond Riverside	16,843 19,341	9	1 2						····i	• • • • • •
Secremento	65,908	1 25	12		i		17			
San Bernardino San Diego San Francisco	18,721 74,683	8 30	3 6		1		8		5	·····ż
San Francisco	506,676	129	27	4	1		7		31	8
Santa Ana Santa Cruz	15, 485 10, 917	1 .	3				1	1:::::		1
Stockton	. 40, 296	18	8		.		1		. 1	
Colorado: Denver	256, 491 43, 050	98		3	1		11			9
Pueblo Trinidad	. 43,050 . 10,906	13	1		. 1		4		. 1	1
Connecticut:	1	1	1		1				1	
BridgeportBristol	. 143, 555 20, 620	27	18		. 5		8		. 6	3
Derby	20,620 11,238	5								
Fairfield (town)	11, 475 22, 123	. 1			. 13		1 2 3			1
Hartiora	138, 036 18, 370 29, 867	24		,2	19		3 2	•	· ·····	1
Manchester (town) Meriden (city)	29,867	1	. 2	1:::::	1		2			
Milford (town)	10, 193 162, 537	1 4		····i	29	-	7	····i	-	
New Haven New London	25, 688 27, 743	1 3	1			.	i			
Norwalk	27,743	\$ \	3	-	·	· ·····		· ·····	1	·····
Washington	. 437,571	112	32	2	1		7		. 15	8
Florida: Key West	18,749) 7	, I			.		.		. 3
Tampa	51,608	3 14	L 8	٠	·-		·}	· ····		. 1
Georgia: Atlanta	200, 616 52, 548	61	L 17	1	1		. 9		. 7	7
AugustaBrunswick	52, 548	2	. 1			•	. 2		····i	. 1
Macon	52, 99	<u> </u>	3				ii		. 1	
Rome. Savannah.	14, 413 52, 999 13, 252 83, 253	22	i 3			::::::	:		ːˈˈi	5
Idaho:			1			1	1	1		
Boise	21,390 15,00	()	1 3		:: :::::					1
Illinois:		1	4 8	,			. 4			
Alton	24, 68 36, 39	7	8 17				.] 3		. 2	
BloomingtonBlue Island	3,6,39 28,72 11,48	5	3	•• ••••	•	1	. 6	'	. 1	
(Antrolio	1 19 40	i	2						226	38
Chicago Heights. Cicero. East St. Louis	2, 701, 70 19, 65	5 55	1 217	7 1	2 62	. 1	78		220	- 28
Cicero.	44,99	וס	4 1	i			. 4			
Elgin.	27, 45	4	9 1	<u> </u>						
Evanston	37, 23 10, 76	4 1	i 1	1	•• ••••	·····				
Forest ParkFreeport	10, 76	9!	8	5	i		1			

	Popula-	Total deaths	Dipht	heria.	Meas	sles.	Sca fev		Tub culo	er- sis.
City.	Popula- tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Illinois—Continued.										
Galesburg	23, 834	7					1		1	1
Kewanee. La Salle.	16, 026 13, 050	3	3		• • • • • • •	•••••	ī			•••••
Mattoon	13, 552	4	4				î			
Oak Park	3 9, 858	8	6							i
Pekin	12,086	3 14	1		•••••		17	····-	j	•••••
PeorinQuincy	76, 121 35, 978	9								. 1
Springfield	59, 183	20	8				6		7	2
Indiana:	29, 767	8		1				1 1		
AndersonBloomington	29, 707 11, 595	ů	3 1		•••••		····i			•••••
Clinton	10.962	À	2 1							•••••
Crawfordsvilla	10, 139	i	1 2				• • • • •			
East Chicago	35, 967 86, 549	8 17	5	····i	• • • • • •		···i			
Fort WayneFrankfort	11, 585	2	5 8 2 2	l il		•••••	3		• • • • • • • • • • • • • • • • • • • •	
Gary	55, 378 36, 004	11	2	ll			6			
Hammond	36,004	8	2	1			1			
HuntingtonIndianapolis	14, 000 314, 194	3 86	66	3	· · · · · <u>·</u> ·		21		6	• • • • •
Kokomo	30,067	4			-		2		i	
Kokomo. La Fayette. Logansport.	22, 486 21, 626	6	2				ĭ			
Logansport	21,626	3	2							
Mishawaka. Muncie.	15, 195 36, 524	1	4		• • • • •		9		1	
Newcastle.	14, 458	5 5								Ι.
South Bend	70, 983 66, 083	15	4		18		7		1	
Terre Haute	66,083	20	12				1			
Iowa: Burkington	24, 057	11	8			1	1	1		
Cedar Rapids	45.566	l	2				3			
Corneil Rings	36, 162	5	5	1			6			
Davenport. Des Moines.	36, 162 56, 727 126, 468		21	<u>;</u> -			1 23			
Derbucina	39, 141		23 2	1			2	1		ŀ
Dubuque. Mason City. Muscatine.	20,065	ii	12				2			l
Muscatine	16,068	5	2				2 2 5			ļ
Ottumwa Sioux City	23, 003 71, 227	2	4 6	2			2		ļ	
Waterloo.	36, 230		ľ				15			
Kansas:			•	1	1	1	ł	1	1	
Atchison	12,630	3	4					•		
Coffeyville. Fort Scott	13, 452 10, 693	ı	7				i		1	
Hutchinson	23, 298		4							
Kansas City	101, 177		12		13		3		8	
Leavenworth	12, 456	3	1				1 -			
Parsons.	16, 912 16, 028	6	5							
Salina	15, 085 50, 022	3	1				1			
TopekaWichita	50, 022 72, 217	26	14 12				10		. 2	
Kentucky:	12,211		1 -2				1 10		·	·[
Lexington	41,534	21	9	1	2		. 6		.]	
Louisville	234, 891 17, 424	75	26	1			. 5		10	1
Owensboro Paducah	24, 735		2		1		i			
Louisiana:		1	ı		1		1 -	1		1
Baton Rouge.	. 21, 782	5	1			-	· <u>-</u>		.	
New Orleans	. 387, 219	148	10			· ·····	4		. 15	
Auburn	. 16, 985	5	1				. 1 2	· I		
Bangor	. 25, 978		. 2		. i		.			
Bath. Biddeford.	25, 978 14, 731 18, 008	3 7	ļ		· ····	-	· ····		·[·····	····
Lewiston.	. 31, 791 . 69, 272	1					: ····a	1		1
	1 40 979	14	5	-1	. 2	1	: i			.1
Portland	10, 691	13	1 0							

	Popula-	Total deaths	Diph	tberia.	Mea	sles.	Scar fev	riet er.	Tul culo	oer- sis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Сазез.	Deaths.	Cases.	Deaths.
Maryland:	00.027	7	١,							
Maccachisetts:	_ 29, 837	ļ.	1					•••••	1	• • • • • •
Adome (town)	12, 967 10, 036	0 2	2				1	•••••		
Amesbury (town)	18,665	2	6						i	i
Attleboro	19, 731 10, 749	6		ļ	4		1		• • • • • •	
Belmont (town)	22, 561		i							
Toston	748, 060	222	68	4	71 1		27 3		20	14
Braintree (town) Brookline	10, 580 37, 748	. 9	2		i		1		•••••	1
Cambridge	100, 694	37	· · · · · <u>-</u> ·						4	4
Chicopee	43, 184 36, 214	15 6	5 2		14		i	• • • • • • •	• • • • • •	
Chinton	12,979	5	l				ī		1	
Danvers	11, 108 10, 792	i	2	1		• • • • • •				
Dedham Easthampton	11, 261	i	2 2	1						•
Rverett	40, 120	1 4	2		2				2	
Fall River	120, 485 41, 029	27	17	····	87	2	3 9		3	
FitchburgFramingham	17,033	4	1				l			
Gardner	16,971	3	1	[2		1	1
Greensield Haverhill	15, 462 53, 884	5 7	1		· · · · · · ·					1
Holyoks	60, 203	13	11				i		2 2 1	
Lawrence	94,270	19	3		. 1		1		1	
Leominster	19,744 112,750	5	ii		1		3		1	
Lynn	99, 148	33 17 15	8		. 4		4		5	1
Malden	49, 103	15	4		-		1		3	1
Medford	39,038 18,204	3 4		1	-		1 3		3	•
Methuen	15, 189	9								
New Bedford	121,217	27	4	}	. 5		2		5	1
Newburyport	15, 618 46, 054	15			-		6			
North Adams	46,054 22,282	9 7		-						
Northampton	21,951		14				. 3			-
Peabody Pittsfield	19,552 41,763	11	14	.	_		4			
Plymouth	13,045		1		.	·				
Quincy	47, 876 93, 091	7 24	2		. 2		4		2	-
South ridge	14.245	. 1	5							. l
Springfield	129, 614 37, 137	35	8		· <u>-</u>		. 3		2	
Taunton	37, 137 13, 025	11	1		. 5					
Waltham	. 30.915	il a	8						. 3	·
Watertown	21,457 13,258		il 5			-	-	-	-	-
Webster West Springfield	13,25					1	1		1	
Westfield	. 18,604	1 8	3 2						. 3	
Winthrop	. 15.458	5 i 4	ļ j	:: ····i	······				. 2	
Wordester	16,574 179,754	43					. 12	i	8	
Michigan:		i	1	1		i	. 2	.	1	1
Alpena Ann Arbor	11, 101	1		٠	· - •		. 2			
Battle Creek	19,516 36,16	i	1	3	i		. 2			
Benton Harbor	1 19 92	7 1	7		;· ···-;		79		5	
Detroit	993, 676 137, 63 12, 18	8 200 4 3	6 76 5 2		2		12		. 3	
Holland	12,18	ā [:	i			. 1		-	
Ironwood				<u> </u>	2	··	. 8			i
Kalamazoo. Marquette	48, 48 12, 71 36, 57	7 3	1 4		•					
Muskegon	36,57	ŏ	6	i						
Pontiac	34.27	3	6 5 7 9	5		•• ••••	·· '	l		
Port Huron Saginaw	. 25,94 61,93	3	9	1				3		3
Sault Ste. Marie	61,90 12,09	6	3	2			. 1	1		

	Popula-	Total deaths	Dipht	heria.	Mea	sles.	Sca. fev		Tul	er- sis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Minnesota:										
Duluth	98,917	26	3				5			2
Faribault Hibbing	11,089 15,089	3 5					4			•••••
Minneapolis	380, 582 13, 722	1 89	56 3	1	1		43	1	31	2
Rochester St. Cloud	15, 873	15	6				3		1	•••••
St. Paul	234,698	54	25		2		57	2	10	3
Winona	19, 143						1			•••••
Missouri: Independence	11,686	8	ļ	1						
Joplin	20,002	1		l	2		1			
Kansas City St. Joseph	324, 410 77, 939 772, 897	102 27	29 7	1	2		7 5	····i	9	9
St. Louis	772,897	210	48	2	2		34	î	33	1 15
Springfield	39, 631	10							• • • • •	2
Montana: Anaconda	11.668	1				l	l.:			
Billings	11,668 15,100 41,611	1					1			
Butte Great Falls	41,611 24,121	14 8	2				1		····i	1
Missoula	12,668	3	l				i		i	
Nebraska:	1	1				1	١.		l	
LincolnOmaha	54,948 191,601	59	30	·····2			1 6		1	
Nevada:		1	"	-	1	1	١			5
Reno	12,016	4								
New Hampshire: Berlin	16, 104	4	1	1	1	1	1	1		Ì
Concord	22, 167	6				1				2
Dover	13.029	4			.		· · · · · · ·			
Keene Nashua	11,210 28,379	14			2		1 2		4	····i
New Jersey:	į.	ł	-		1 -	1	1	1		•
Asbury Park	12,400 50,707	1					1			
Atlantic City Bayonne	76,754	9	i		. 8		3		1	
Bloomfield	76,754 22,019	2	1	.			.! 3		1	
Clifton	26,470 50,710		4 2		2		5		1	
East Orange	11.627	5	2		2					
Garfield	11,627 19,381	2			. 4					
Hackensack	17,667 15,721	4	3		•	·	2		1 1	
Hoboken	68, 166	19					i		li	
Jersey City	68, 166 298, 103 26, 724	7	. 21						11	
Kearny	28,724	1 7			- 1	1	2		1 1	
Morristown	12,548		1		. 2	1	. 1		.	
Orange	33, 268 63, 841		1	.	-		. 4		. 1	
Passaic	135,875	10	8 7		. 4	1	. 5		. 3	
Porth Amboy Phillipsburg Plainfield	41 707	19	8	i	1					. i
Phillipsburg	. 16,923	1	2	-		-	····· ₂	-	i	
Rahway	16,923 27,700 11,042	1		•	1		2			
Summit	1 10 174	. 1 6	·	.			i	1	1	
Trenton	119, 289 20, 651	31	41	5	2		9 2		. 3	1
Union (town)	40,074		ri ····i	1::::		1				
West New York	. 40,074 29,926	1 8	2				.	-		.
West Orange New Mexico:	. 15,573	•	•	· ····	. 20		•	-	. 1	
Albuquerque New York:	. 15, 157	12	4	1	.		. 2	:	. 2	8
New York:	1	1		1	1		١.	1		2
AuburnGeneva	. 36, 192 . 14, 648	1)				. 1			
Glens Falls	. 16,638	3 i - 3	3 1	i					. 2	1
Hornell	. 15,025 . 11,745		1 1		-		-		-	.
Ithaca	.1 17.004		3 2 3 1							1
LackawannaLockport	. 17, 918	3	3				. 4	1	. i	
Lockport	21,308	51	1	-1	1	1	.1 1		.'	

	Popula-	Total deaths	Diph	theria.	Mea	sles.	Scar		Tul culo	
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
New York—Continued.										
New York	5, 620, 048 30, 366	1, 161	174	15	34	2	80	2	1 225	1 80
Newburgh. Niagara Falls	201. 4004	10	4				2		1	
North Tonswangs	15, 482 15, 868	6	3				17 3			;
PeekskillPlattsburg	10.909.1	6								<u>.</u>
Port Chester	16, 573 295, 750 26, 341	65	10	····i·	18		1	• • • • • •		
Rochester	26, 341	. 8	7		18		4 11		18	5
RomeSaratoga Springs	13.184.1	8	<u>.</u> .				2	••••	8	
Cahonertaity.	88, 723	9 34	13	·		·····	20 13 7 3 3		1	
Syracuse	171,717 72,013 31,285		1				7		- 5	
Watertown	31, 285	5 3		· · · · · ·	ļ		3		2	i
White Plains	21, 031 100, 176	24	5	1	1		7			·····a
Yonkers North Carolina:	•		,	i -			•		ł	1
Durham	21,719	10	7	1	1				4	1
Greensboro	15, 861 24, 418	10	2		2		4		i	
RaleighRocky Mount	24, 418 12, 742 13, 884	7	· · · · · ·						ļ	i
Salishiry	13, 884 48, 395	8 15	3				2		4	·····
Winston-Salem North Dakota:		13	1 3			ļ	_		•	['
Fargo	21, 961 14, 010	0	1		.	ļ	2	ļ		·
Grand Forks	14,010	·····				·	9			·
Ohio:	208, 435	42	16			J	10		. 2	1
Ashtabula	22,082	2	1						. 1	
Barberton	18,811 10,425	1 3		-	-	· ····	3		. 1	
Bucyrus	13, 104	3								
Cambridge Canton	87 001	21	2		. 1		3		-	-
Chillicothe	401 247	111			2	-	9		i ii	-
Cincinnati	15, 831 401, 247 15, 236 237, 031	9	1		. 1		4			
Columbus	237,031	65	24	1	6		····i	-	. 3	
Coshocton		43	17	-	-	1	13		2	
Dayton	152, 559 27, 292	1					. 2			
East Youngstown	11.237	3	····i			-		-		-
Hamilton	17, 021 39, 675	8			2					
Kenmore	12.683						. 2			-
Lima	41,326 37,295	12	1				2		-	
Lorain	27,824	9					. 2		. 1	
Martins Ferry	11,634	1 9	} 1	١		.	. 2	·		
Middletown New Philadelphia	23,594 10,718	1 4	• [3			2			
Newark	26,718		3 3	3						
Niles	13,080 24,966			i						• •
Niles. Norwood. Piqua.	24,966 15,044		3	i			.			i
Salem	10,305		4	1				}		
Sandusky Springfield Tiflin	22, 897	1		5						2
Tiffin	60, 840 14, 375		5 1	2 1		2				
Toledo	243, 164	- 6	3 6		3 8	8 4	1			3
YoungstownZanesville	132, 358 29, 569	2	6		$\begin{array}{c c} 2 & \cdots \\ 1 & 2 \end{array}$	0				2
Oklahoma:		1	1	1	- -	-	1	_		.
Oklahoma	91,295	1	3 ,	3			1	7	i	1
Tulsa	72,075	,	·· ¹	٠					<u>. </u>	
Oregon: Portland	258, 286	3 6	6	4	1			6		4
Pennsylvania:		i	١.	2	1.	1	1	1		
Allentown Altoona	73,500 60,33			1		1		i		
Ambridge.	12,73)		3		3		3	• • • • •	
Beaver Falls	12,80			44 1		F 1				

¹ Pulmonary tuberculosis only.

	Popula-	Total deaths	Dipht	heria.	Mea	sles.		riet rer.	Tut culo	ber- isis.
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
ennsylvania—Continued.										
Berwick	12, 181		7 7 3 3 7				4			
Bethlehem	50,358 20,879	• • • • • • •	7	• • • • • •	.1		4	• • • • • •	•••••	••••
Braddock	20,879	• • • • • • • •	3		45		····i		2	••••
Bristol	10,273 23,778	•••••	3		• • • • • •		2		•••••	
Butler	10.632	••••••	4		6		_		ï	• • • • •
Carbondale	18,640		4				i			••••
Carnegie	11,516		1		1		4		2	
Carnegie	10,504				35		2			
Chembershire	13,171						4		• • • • • •	
Charleroi	11,516 58,030	· · · · · · · ·	2	• • • • • •			2	J	• • • • • •	
Chester	58,030		1	• • • • • •	.9		3		6	ļ
	14,515 13,804	• • • • • • • • •			47	• • • • • •	••••;		•••••	ļ
Connellsville	11,049		3	• • • • • •	i	• • • • • •	1		•••••	····
Donora	14, 131		1 1 2	• • • • • •				1		····
Dubois.	13 681		1 2							l::::
Easton.	33,813 93,372 15,586		2 7							l:
Erie	93,372	 	7		3		5		7	I
Farrell	15,586						4			
Harrisburg	75,917	1	5 1		1		10			ļ
Homestead	20, 452 67, 327		1		1		· · · · <u>·</u> ·		1	
Johnstown	57,327		5		3		3		1	
Lancaster	53, 150 16, 713		1 7				5		1	•••
McKeesport.	16,713 46,781		6	•••••			2		3	
Mahanoy City	15,599		ľ				_			
Monessen	18 170		1 4							I
Nanticoke	22,614		l ī					1		1
New Castle	44,938		3	l			2			
New Kensington	11,987		2				 			.
Norristown	32,319 14,928 21,274		1		3	ļ	4		1	ļ
North Braddock	14,928		1		8		····			
Oil CityOlyphant							10		:	
Philadelphia	1.823.779	495	73	8	818	13	50		88	ļ
Pittsburgh	588,343		38	l	71	1.0	52		6	l
Pittston	1,823,779 588,343 18,497		l		l		1			
Plymouth	10,500		1							.
Pottstown	17,431		1						ļ	.
Punxsutawney	10,311		1		····			.		.
Scranton	107,784		4		27		••••2			·
Sharon.	21 747		i	ļ	i		1 2			
Shenandoah	24, 726						1		2	
Steelton			9		1 *				2	
NOUGHULL	13.428		. 1 2				<u>2</u>		2	
Sunbury	13,428 15,721		5				1		2	
Sunbury	17, 431 10, 311 107, 784 137, 783 21, 747 24, 726 13, 428 15, 721 10, 908		5 1				1 4 4		2	
Sunbury Swissvale Uniontown	15,692		5 1				1 4 4 3		2	
Sunbury Swissvale Uniontown	15,692 21,480		2 5 1 1 8		2		1 4 4 3 8		2	
Sunbury Swissvale Uniontown Washington Wilkes Barre	15,692 21,480 73,833		5 1				1 4 4 3 8 4		2	
Sunbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg	15,692 21,480 73,833		2 5 1 1 8 2				1 4 4 3 8		2	
Sumbury Swissvale Uniontown Washington Wilkes Barre Wilkinsburg Williamsport	15,692 21,480 73,833 24,403 36,198		2 5 1 1 8 2		2		1 4 4 3 8 4		2	
Sunbury. Swissvale. Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York	15,692 21,480 73,833 24,403 36,198		2 5 1 1 8 2				1 4 4 3 8 4 1		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Wilkinsport Woodlawn York hode Island:	15,692 21,480 73,833 24,403 36,198 12,495 47,512		2 5 1 1 8 2		2		1 4 4 3 8 4		2	
Sunbury. Swissvale Uniontown. Washington. Wilkes-Barre. Wilkinsburg Williamsport. Woodlawn. York. chode Island: Cranstom.	15,692 21,480 73,833 24,403 36,198 12,495 47,512	4	2 5 1 8 2		2		1 4 4 3 8 4 1 7		2	
Sunbury. Swissvale Uniontown. Washington. Wilkes-Barre. Wilkinsburg Williamsport. Woodlawn. York. chode Island: Cranstom.	15,692 21,480 73,833 24,403 36,198 12,495 47,512	4	2 5 1 8 2 3 3 2		2		1 4 4 3 8 4 1		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Wilkinsport Woodlawn York hode Island: Cranston Newport Pawtucket	15,692 21,480 73,833 24,403 36,198 12,495 47,512	4 1 122	2 5 1 1 8 2 3 3 2		28		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York chode Island: Cranston Newport Pawtucket Providence	15,692 21,480 73,833 24,403 36,198 12,495 47,512 29,407 30,255 64,248 237,595	4 1 12 68	2 5 1 8 2 3 3 2		2		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York cranston Newport Pawtucket Providence outh Carolina: Charleston	15,692 21,480 73,833 24,403 36,198 12,495 47,512 29,407 30,255 64,248 237,595	1	2 5 1 8 2 3 3 2 2 1 12		28		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Wilkinsport Woodlawn York thode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia	15,692 21,480 73,833 24,403 36,198 12,495 47,512 29,407 30,255 64,248 237,595	23	2 5 1 1 8 2 2 2 1 12		28		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Wilkinsport Woodlawn York hode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville	15,692 21,480 73,833 24,403 36,198 12,495 47,512 29,407 30,255 64,248 237,595	1	2 5 1 8 2 3 3 2 2 1 12	1	28		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville	15, 692 21, 480 73, 833 24, 403 36, 198 12, 495 47, 512 29, 407 30, 255 64, 248 237, 595 67, 957 37, 524 23, 127	23 16	2 5 1 8 8 2 2 1 12 12 5	1	28		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York Hode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville outh Dakota: Sloux Falls	15,692 21,480 73,833 24,403 36,198 12,495 47,512 29,407 30,255 64,248 237,595	23	2 5 1 1 8 2 2 1 12 11 11	1	28		1 4 4 3 8 4 1 7		2	
Sumbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York thode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville outh Dakota: Sloux Falls ennessee:	15, 692 21, 480 73, 833 24, 403 36, 198 12, 495 47, 512 29, 407 30, 255 64, 248 237, 524 237, 524 23, 127 25, 202	23 16	2 5 1 8 2 2 1 12 1 15 4	1	28		1 4 4 3 8 4 1 7 1 1 1		2	
Sunbury . Swissvale . Uniontown	15, 692 21, 480 73, 833 24, 403 36, 198 12, 495 47, 512 29, 407 30, 255 64, 248 237, 595 67, 957 37, 524 23, 127	23 16 8	2 5 1 1 1 2 2 1 1 1 5 5 4 2 2	1	28		1 4 4 3 8 4 1 7 1 1 1		2	
Sunbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York thode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville outh Dakota: Sioux Falls lennessee: Chattanooga Knoxville	15, 692 21, 480 73, 833 24, 403 36, 198 12, 495 47, 512 29, 407 30, 255 64, 248 237, 595 67, 957 37, 524 23, 127	23 16 8	2 5 1 1 2 2 1 1 1 5 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1	28		1 4 4 3 8 4 1 1		. 2	1
Sunbury Swissvale Uniontown Washington Wilkes-Barre Wilkinsburg Williamsport Woodlawn York thode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville outh Dakota: Sioux Falls lemnessee: Chattanooga Knoxville Memphis	15, 692 21, 480 73, 833 24, 403 36, 198 12, 495 47, 512 29, 407 30, 255 64, 248 237, 595 67, 957 37, 524 23, 127	23 16 8	22 51 18 22 33 21 12 11 5 4		28		1 4 4 3 8 8 4 1 1 1 1 1 1 1 1 5 3 1 1 1 1 1 1 1 1 1 1		2 2 2 13	1
Sunbury Swissvale Uniontown Washington Wikes-Barre Wilkinsburg Wilkinsport Woodlawn York thode Island: Cranston Newport Pawtucket Providence outh Carolina: Charleston Columbia Greenville outh Dakota: Sioux Falls Sinnessee: Chattanooga Knoxville	15, 692 21, 480 73, 833 24, 403 36, 198 12, 495 47, 512 29, 407 30, 255 64, 248 237, 524 237, 524 23, 127 25, 202	23 16 8 63 43	2 5 1 1 2 2 1 1 1 5 4 2 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	1	28		1 4 4 3 8 4 1 1		. 2	1

	Popula-	Total deaths	Dipht	heria.	Mea	sles.	Scar feve	let er.	Tub culo	
City.	tion Jan. 1, 1920.	from all causes.	Cases.	Desths.	Cases.	Deaths.	Cases.	Deaths.	Cases.	Deaths.
Texas—Continued.										
Hallas	158,976	38	18		[2		2	3
El Paso	77,560	27 17,	12	····i		•••••	••••2		31	5
Fort WorthGalveston	106,482 44,255 138,276	13	12				i			4
VI	138, 276	40	2				1			5
San Angelo Waco	10,050 38,500	13 9	·····2				····2	•••••		3 2
Utah: Salt_Lake City	118, 110	26	2	1	1		1		2	1
Vermont: Burlington	22,779	2		١						
Rutland	14, 954	8								
Alexandria	18,060	9	1	1					;-	•••••
DanvilleLynchburg	21,539	7 14	8				4		3	i
Morfolk	39,070 115,777		5				3		3	3
Deterchurg	31,012	7	5				6		2	2
Portsmouth	54,387	15	11 28	2	·		1 19		17	1 3
Richmond	171,667 50,842	51 16	13	2			19		l i	
Washington:	1 '						[1	
Rellingham	25, 585				3		3 14		8	
SeattleSpokane	315,312 104,437		14		i		8		°.	
Teorma	96, 965		6						. 13	
Walla Walla	15,503				-		8		-	
Yakima West Virginia:	18,539		-		-		l °	ļ		·····
Bluefield	15,2-2	4	3		.	.		ļ	.	
Charleston	39,608	12	4						. 2	
Clarksburg	27,869 17,851	6	3 3		-	-	1 2		1	1
Fairmont	50, 177	16		1			3			. i
Morgantown	12, 127			. 1		-	. 2			-
Moundsville	.) 10,569	1 6				-	8	-		-[
Parkersburg Wheeling.	20,050 56,208	100			7	1	. 5		. 3	i
Wisconsin:	1			1			1			1
Appleton	. 19,561		. 1				-	-		•
Ashland	11,334 21,284		. 1		· · · · · i	1	30	i	1	
BeloitEau Claire	20,906	1	. 2			.				
Fond du Lac	23, 427				[-	-			-
Green Bay	31, 017 18, 293		. 6				i	-	i	
Janesville									. 3	
La Crosse	30, 421		. 1		5		. 5			
Madison	38,378		. 9		••[••••				- 4	
Marinette	13,610 457,147	!	∷ 3		324		. 45		10	1
Oshkosh	33, 162	: '	7 1				. 1		1	.
Racine	58, 593	1			:	2	. 9		2	
Sheboygan	30, 95, 11, 37		'	B					:: i	
Stevens Point	39, 67	l I		i						٠٠ _ `
Wausau	18, 66 13, 74	i		3		<u>.</u> .	;	:-[··[····
West Allis	13,74	5	:	2	2	•	1	٠		
Wyoming: Cheyenne	13,82	9	6			1				
Oneyenne			٠, ١, ٠, ٠, ٠, ٠, ٠, ٠, ٠, ٠, ٠, ٠, ٠, ٠, ٠,	1	1	1	I _	· I		1

FOREIGN AND INSULAR.

CANADA.

Communicable Diseases—Winnipeg—October, 1922.

Communicable diseases were reported in Winnipeg, Manitoba, Canada, during the month of October, 1922, as follows: Chicken pox, 68 cases; diphtheria, 176 cases and 134 diphtheria carriers; scarlet fever, 146 cases; smallpox, 5 cases; typhoid fever, 4 cases, as compared with 18 cases in September, 1922. The total number of cases of contagious diseases reported during the month of October, 1922, was 602, with 17 deaths, as compared with 373 cases with 9 deaths in September, 1922.

CUBA.

Communicable Diseases—Habana.

Communicable diseases have been notified at Habana as follows:

	Oct. 21-	31, 1922.	Remain- ing under
Disease.	New cases.	Deaths.	treatment Oct. 31, 1922.
Chieken pox	7		5
Diphtheria. Leprosy Malaria.	1 77	1 4	10 1 56
Measles. Paratyphoid fever. Scarlet fever	6 5	1	4
Typhoid fever	148	26	3 128

¹ From the interior 31, from abroad 1.

ITALY.

Plague-Naples.

Two cases of plague, occurring between September 22 and 28, 1922, have been reported at Torre Annunziata, a suburb of Naples, Italy.

RUSSIA.

Communicable Diseases—Esthonia—September, 1922.

Communicable diseases were reported in the Province of Esthonia, Russia, during the month of September, 1922, as follows:

Disease.	Cases.	Remarks.
Diphtheria Measles Scarlet fever Smallpox Tuberculosis Typhoid fever Typnus lever Typhus fever, recurrent	38 1 113 78	Paratyphus fever, 11.

² From the interior 15.

Remarks.

UNION OF SOUTH AFRICA.

Smallpox—Typhus Fever—August, 1922.

During the month of August, 1922, 64 cases of smallpox, of which 61 occurred in the colored population, and 481 cases of typhus fever with 84 deaths, of which 479 cases and the total number of reported deaths occurred in the colored population, were notified in the Union of South Africa. For distribution of cases according to States see table, pages 2926 and 2927...

CHOLERA, PLAGUE, SMALLPOX, TYPHUS FEVER, AND YELLOW FEVER.

Reports Received During Week Ended November 24, 1922.1

The reports contained in the following tables must not be considered as complete or final, either as regards the list of countries included or the figures for the particular countries for which reports are given.

CHOLERA.

Place.

Cases. Deaths.

I laco.				2000 ag.
China:	Oct. 9-15			Present in Chinese city.
AntungShanghaiIndia.	Oct. 2-8	1	1	Case, foreign; death, Chinese. Sept. 3-9, 1922; Cases, 1,651;
BombayCalcuttaRangoon	Oct. 3-9. Sept. 17-Oct. 7 Sept. 24-30	1 20 2	1 17 2	deaths, 982.
Siam: Bangkok	Sept. 10-16	1		
	PLA	GUE.		
Ceylon:			_	
Colombo	Sept. 24-Oet. 7	9	7	
Chungking	Sept. 24–30 Sept. 17–30	2	1	Present.
EgyptSuez	Oct. 14-18	3	1	Jan. 1-Oct. 19, 1922: Cases, 451 deaths, 209.
IndiaBombay	Sept. 3-16	11	7	Sept. 3-9, 1922: Cases, 1,243 deaths, 876.
Madras Presidency	Sept. 17-23 Oct. 1-7 Sept. 10-30	239	190 52	
RangoonItaly: Naples	Sept. 22-28	1	32	At Torre Annunziata, suburb o
Madagascar	Nov. 4	l		Naples. Present.
Palestine: Jatřa	Oct. 17-23			Entered in previous issues unde
Valid				Jerusalem. Corrected in Publi Health Reports, Nov. 17, 1922 p. 2886.
Portugal: Lisbon	Oct. 9-21		1	
Siam: Bangkok		ł	3	
Spain: Barcelona	1 -	ļ		Oct. 18, 1922: 18 cases present.
	SMAI	LPOX.		
Arabia:	Oct. 8-14	3	2	
Brazil: Bahia	do			1

¹ From medical officers of the Public Health Service, American counsuls, and other sources.

Pernambuco Sept. 24–30:... Rio de Janeiro Oct. 8–21

Reports Received During Week Ended November 24, 1922—Continued.

		•		
Place.	Date.	Cases.	Deaths.	Remarks.
Canada: Manitoba— Winnipeg	Oct. 22-Nov. 4	6		Oct. 1-31, 1922: Cases, 5.
Ontario— Ottawa Toronto	Oct. 29-Nov. 4 do	3 1		
Ceylon: Colombo	Sept. 24-Oct. 7	7	1	
Dominican Republic: Santo Domingo Egypt:	Oct. 29-Nov. 4		1	
Cairo ndia	Aug. 13-19	1	1	Sept. 3-9, 1922: Cases, 574; death
Calcutta Madras Rangoon	Sept. 17-Oct. 7 Oct. 1-7 Sept. 10-30	5 24 13	5 10 10	149.
taly: Trieste	Sept. 1-Oct. 18	11	4	
ava: West Java— Batavia	Sept. 23-Oct. 6	13	1	Province.
dexico: Mexico City	Oct. 8-14	9		
Portugal: LisbonOporto	Oct. 9-21 Oct. 1-7	68 3	13	
Russia: Esthonia (Province)		1		
Spain: Corunna Switzerland:	Oct. 15-21		1	
Zurich Syria:	do			
Damascus Furkey: Constantinople	Oct. 1-7	9	1 4	
Union of South Africa	000.13-21	·	······-	Aug. 1-31, 1922: Colored popu tion, cases, 61; white, 3. Aug. 1-31, 1922: Colored, 30 cas
Cape Province Do Orange Free State Transvaal.	Sept. 17–30			Aug. 1-31, 1922: Colored, 30 case Outbreaks. Aug. 1-31, 1922: Colored, cases Aug. 1-31, 1922: Colored, cases
Do	Sept. 17-30			27; white, 3. Outbreaks.
On vessel: S. S. Clan MacWilliam	Aug. 13	. 1		En route from Durban and De goa Bay, Union of South rica, for Newcastle, Austra
				goa Bay, Union of South rica, for Newcastle, Austral via Mauritius. Arrived N castle Aug. 25, 1922; proceed to Sydney in quarantine. I tient, colored fireman.
	турни	S PEVE	R.	
Chins:	Oct. 9-15	. 1		
Egypt: Cairo Port Said	Aug. 13-26do	1		
Germany: Coblenz	. Oct. 22-Nov. 4	1	1	1
Mexico: Mexico City Portugal:	Oct. 8-14	. 14		
Oporto	Sept. 24-30	1		•
Esthonia	Sept. 1-30	1		. Recurrent typhus, cases, 6; p typhus, cases, 11.
Syria: Aleppo	Oct. 15-21	. 1	1 1	1

Reports Received During Week Ended November 24, 1922-Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Turkey: Constantinople Union of South Africa	Oct. 15-21	3		Aug. 1-31, 1922: Colored popula- tion, cases, 479; deaths, 84; white, 2.
Cape Province Do	Sept. 17-30		•••••	Aug. 1-31, 1922; Cases, 450; deaths, 82 (colored); white, cases, 2. Outbreaks.
DoOrange Free State	Sept. 24-30			Aug. 1-31, 1922: Cases, 16 (colored). Outbreaks. Aug. 1-31, 1922: Cases, 11; deaths, 2 (colored).
Transvaal Do	Sept. 24-30			Aug. 1-31, 1922: Cases, 2 (colored). Outbreaks.

Reports Received from July 1 to November 17, 1922. $^{\rm 1}$

CHOLERA.

Place.	Date.	Cases.	Deaths.	Remarks.
China: AmoyAntung	May 14-June 24 Sept. 21-Oct. 1	1	4	Prevalent in Chinese city and in settlements along Yalu River.
Manchuria— Dairen Newchwang	Sept. 18-24 July 27		2	Present. Stated to have been imported from Shanghai.
Pootung Shanghai Tientsin	Aug. 3 June 25-July 31 July 25-Aug. 19	198 4	2	Present. Aug. 1-Oct. 1, 1922: Cases, 5, foreign; deaths, 55, Chinese. July 29, 1922: Stated to be 250 cases in Chinese isolation hospital.
Woosung	Aug. 3			About 75 deaths reported for previous week.
Athens	June 29 June 7-17	30 30	1 11	At quarantine station; among passengers from vessel carrying Russian refugees.
IndiaBombayDo	Apr. 23–June 17 July 2–Aug. 12	12 5	5 4	Russian refugees. Feb. 26 - June 24, 1922: Deaths, 33,979. June 25 - Aug. 5, 1922: Deaths, 9,346. Aug. 6 - Sept. 2, 1922: Cases, 7,802: deaths, 4,962. (Report for week ended Feb. 25, 1922, not received.)
Calcutta.	May 21-June 17 July 16-Sept. 23 May 7-June 24	70 3 5 116	378 63 1 3 65 62	20, 1022, 1100 1000 100.
Indo-China: Saigon Japan:	June 25-Aug. 19	30	28	Including area of 100 square km.
Tokyo. Yokohama Philippine Islands:	Oct. 4 Oct. 5			Epidemic. Present.
Manila Do Province—	June 25-Sept. 2	14	3	1 case, 1 death in nonresident, Aug. 27-Sept. 2, 1922.
BataanBatangasDo	May 26-June 24	15	11	

¹ From medical officers of the Public Health Service, American consuls, and other sources. 14973°—22——3

Reports Received from July 1 to November 17, 1922-Continued.

CHOLERA-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Philippine Islands—Continued.				
Province—Continued.				
Bulacan	Apr. 30-May 6	1	1	
Cagayan	Aug. 13-19	2	2	
Camarines Sur	Mar. 25-Apr. 1	1	1	
Laguna	Apr. 16-22	1		
Marinduque Mindoro	June 25-July 15	6	- 6	
Mindoro	A Dr. 23-29	1		
Nueva Ecija	June 11-17	1	1	
Pampanga	June 11-17	6	5	
Do	June 23-July 8	1	1	
Pangasinan	June 18-24	3 2	1	
Do Rizal	Aug. 27-Sept. 2 Apr. 2-June 24 May 21-June 10	3	1	
Tarlac	May 21_lune 10	4	4	
Union	Aug. 6-Sept. 9	3	2	
Poland	Aug. 0-Sept. s	9	-	July 9-Sept. 7, 1922: Cases, 10
онаци		• • • • • • • • • • • • • • • • • • • •		desths, 28.
Royno	June 11-24	R	3	Repatriation station: Cases
RovnoDo	June 25-Aug. 5	33	10	Cirring among persons res
Volhynia.	July 2-8	ĩ	Ĩ	curring among persons rep triated from Russia.
VolhyniaZamosc	Aug. 21		ī	
Rumania:			*	
Bucharest	do	1		
Crangasi		l		To July 31, 1922: Cases, 11: death
				6. First case in soldier from
Province—		1		frontier (n Dniester Rive
Bessarabia—		l		Crangasi, a suburb of Buch
Cobusea	July 24	1		rest.
Code as iti		3		Reported Aug. 11.
Orhci	· · · · · · · · · · · · · · · · · · ·			Reported Aug. 11. Prefecture. Cholera report
-				Aug. 11 among troops in gar
		٠		_son.
Rascautzi		11	1	Reported July 29.
Siam:		t	_	
Bangkok	Apr. 30-June 17	15	9	
Do	July 2-Sept. 2	12	5	
Straits Settlements:	7-1-10 00	1		
Singapore	July 16-22		1	
Byria:	May 27-June 3	ł	1	A few cases in interior.
AleppoDo	June 25-Sept. 2			Present in interior.
On vessels:	June 25-Sept. 2		·····	Fresent in interior.
S. S. Chios	July 16	1		At Kavak Quarantine Static Bosporus, from Noveressy a Russian Black See po Case occurred in a recognic carrier. Vessel carried re
	Sept. 18-24	2	1	carrier. Vessel carried re gees for Saloniki, Greece. I bodies buried at ses; 12 ca landed at Kavak during st At Dairen, Manchuria, Chi Name and origin of vessel i stated.
	PLA	GUE.		
Algeria:		<u> </u>	l	
Algiers	Aug. 27	1	l	l
Oran	Aug. 1-31	10	3	l
Asia Minor:	i	1	1	[
Smyrna	May 28-June 17	3	1	i
Do	June 30-Aug. 26	8	1.	District.
Australia:	1	i .	1	l
New South Wales—			1	
Sydney	June 1-15	2		Apr. 2-June 10, 1922: 19 plas
		I	1	infected rats found.
Queensland		I	1 .	1
Cuconina.	Jaly 23-29		1	One plague rat.
Brisbane	July 20-25			
Brisbane	July 20-25	1	1	
Brisbane				Jan. 16-Feb. 8, 1922: Cases,
Brisbane			2	Jan. 16-Feb. 8, 1922: Cases deaths, 4.

Reports Received from July 1 to November 17, 1922—Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Azores—Continued. St. Michaels Island	Sept. 9-Oct. 14	202	26	Jan. 1-May 13, 1922: Cases, 93; deaths, 55. June 25-Oct. 14, 1922: Cases, 287; deaths, 49. In localities 3-9 miles from Pom-
Ponta Delgada	Oct. 1-19	6		ta-Delgada.
Brazil: Bahia	June 11-17	1	• • • • • • • • • • • • • • • • • • • •	May 7-June 4: Rodent; occur- ring in one section of the city.
Do Pernambuco	Aug. 20-Sept. 30 May 7-13	2	1	Many dead rats found.
Porto Alegre	May 7-13 July 30-Sept. 30	î	5	•
Kenya Colony Nairobi	Feb. 1-28	15	15	Mar. 1-June 30, 1922: Cases, 371; deaths, 344. July 9-15, 1922: Deaths, 14.
Cape Verde Islands: St. Vincent	Sept. 4			Present.
Ceylon: Colombo Do	May 6-June 24 June 25-Sept. 23	13 22	10 23	Plague rats, 5. Plague rats, 12.
China: Amoy	May 7-June 24		87	· -
Do Canton	June 25-July 15 May 1-June 30	28	76 23	May 20, 1922: From 10 to 20 deaths reported daily. July 16-Aug. 12, 1922: Present stated to be decreasing.
FoochowDo	May 7-June 10 July 2-Aug. 12	5 3	i	June 17-24, 1922: Present. June 21: Mildly epidemic; 2 fatal cases in foreign physicians Aug. 13-Sept. 23, 1922: Present
Hongkong Do	June 4-24 June 25-Sept. 16	176 146	104 101	Aug. 13-Sept. 23, 1922: Present
Ecuador: Guayaquil	June 1-15	i		Rats found infected, 16; exam-
Do	July 1-Oct. 15	1	1	ined, 3,400. Rats examined, 25,725; found infected, 61.
EgyptCity— Alexandria	June 1-28		ļ	Jan. 1-/une 29, 1922: Cases, 280 deaths, 120. Jan. 1-Aug. 10 1922. Cases, 439; deaths, 204
Do Port Said	July 2-Sept. 9 June 12-25	2	6 7 5	(Corrected report.) Septicemic, 1.
Do Suez	July 2-Oct. 5 May 24-June 25	31	22	Foreign cases, 2; deaths, 2.
Do			2	Aug. 5, 1922: One case imported from Mauritius on S. S. Dumbes.
Province— Assiout	May 30-June 23	. 14	8	Septicemic, 1.
Do	May 30-June 23 July 11-Aug. 5 May 26-June 30	6	3 7	Dopulous, s
Benisouef Do	July 2-Sept. 2	. 1 29	13	
Fayoum	. June 3–29	. 8	4 3	
Do Gharbieh	May 26-June 30	37	13	1
Do Menoufieh	. July 20	. 1	1	•
Minieh Do	June 2-29 July 14-Sept. 30	94	7 10	
Sinnuris (district).	,			
Paris	Aug. 11-18	i	3	•
Piræus Hawaii:	. Aug. 1-31			,
Hamakua	. June 30-July 4	. 1	1	At Kalopa Homesteads. Cas Hawaiian.
Do	. July 8-Oct. 20	· ·····	1	

Reports Received from July 1 to November 17, 1922-Continued.

PLAGUE-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Hawaii—Continued. Honokaa	Aug. 19-Sept. 10		4	Japanese and Filipinos; bubenic and septicemic. Oct. 5, 1922:
				One case, one death. Reported positive Oct. 12. At Honokaa Mill occurring in family of fatal case reported Aug. 24, 1922. Aug. 12–Sept. 13, 1922; 3 plagna
Honokaa Mill Kalopa		1 1	1 1	rats found. Japanese; pneumonic. Contact with case at Kalopa Homesteads, July 4.
Paahau				One plague rat trapped at Paauhau Guleh, June 29; found positive June 30, 1922.
Paattilo	July 7		1	At Pohakea; Japanese. Sept. 25, 1922: One plague rat found at Hamakua Mill.
Pohakea	Aug. 1–16	2	2	Aug. 1, Japanese child; case reported positive for plague Aug. 6, 1922. Form, pneumenic. Aug. 16, 1 fatal case is Japanese.
Pohakuhaku		1	. 1	July 19.
				Apr. 23-June 24, 1922: Cases, 6,340; deaths, 4,812. June 25- Sept. 2, 1922: Cases, 6,011; deaths, 4,244.
Bombay De Calcutta De Karachi	Apr. 23-June 24 June 25-Sept. 2 Apr. 23-June 24	168 49 56	123 38 54	Surrounding country, July 2-8, 1922: Cases, 21; deaths, 16.
Bo Karachi	June 25-Aug. 19 May 23-June 24 June 25-Sept. 30	16 59 6	16 55 5	
Do. Madras Presidency. Do. Rangoon	June 25-Sept. 30	1.646	36 1, 06 3 161	
Do	June 25-Sept. 9	392	355 21	
Saigon	June 25-Aug. 19	10	7	Including area of 100 square kilo- meters.
Catania Nap les	June 17 July 18-Sept. 16	17		Occurring in suburbs, viz, at Torre Annunziata, July 18 Sept. 10, 1922, 16 cases; San Glovanni a Teduccio, July 25, 1922, 1 case.
Japan: Osaka	July 11-20	7	6	1
Java				Month of April, 1922: Report of the 7 Provinces of Java: Cases, 413; deaths, 495. May 1-31, 1922: Cases, 293; deaths, 310, occurring in 6 Provinces, June 1-30, 1922: Cases, 222; deaths, 256; occurring in 5 Provinces, July 1-Aug, 31, 1922: Cases, 416; deaths, 447; occurring in 5 Provinces.
East Java— Soerabaya Soerakarta— Varoren	1	1	3	Epidemic.
Keporen Madagascar: Tananari ve Province—	May 20		1	
Anketrina	DERY T.		1	have been present since about Apr. 27, 1922. (Name of local- ity corrected.)

Reports Received from July 1 to November 17, 1922—Continued.

PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Madagascar—Continued.				
Tananarive Floring		_		
Tamatave	June 26-July 2	2	1	
Do	Aug. 21-Sept. 13	•••••	•••••	Present, Aug. 17, 1922: 1 case. Aug. 18, 1922: 1 death. Aug. 21-Sept. 10, 1922: Deaths, 3.
	Mars 00 Trees 10	2	i	21-Sept. 10, 1922: Deaths, 3.
Tananarive	May 29-June 18 July 10-23	2	2	
Do Mauritius Island	·····			Aug. 7-19, 1922: Cases, 2. Oct. 19,
an and amin				1922: 65 fatal cases reported.
Mesopotamia: Bagdad	Apr. 1-June 30	268 29	188	
Do	July 1-Aug. 31	29		
Mexico: Tampico				Sent 24-30 1022: 1 please ret
Vera Cruz				Sept. 24-30, 1922: 1 plague rat. June 30, 1922: 1 plague rat.
Delecting.				The state of the s
Jaffa	July 4-Oct. 9	45	2	In native quarter. Name of lo- cality corrected.
Peru		l		Cantry Corrected. May I-15, 1922: Cases, 36: deaths, 19. June I-30, 1922: Cases, 87; deaths, 15. July I-Aug. 31, 1922: Cases, 96; deaths, 51. JanJune, 1922: Cases, 394; deaths, 173. Country Cistrict cases 2 (Con-
reru		1		19. June 1-30, 1922; Cases, 87;
		1	i	deaths, 15. July 1-Aug. 31,
		l	1	1922: Cases, 95; deaths, 51.
		1	Į.	JanJune, 1922: Cases, 394;
	Jan. 1-June 30	24	10	Country district cases 2 (Con
Callao	Jan. 1-June 30	24	10	Country district, cases, 2. (Corrected report.)
Lima	Jan. 1-June 30	30	16	Country district, cases, 28; deaths,
Lims	vall. I valle co	۳ ا	10	11.
Philippine Islands:		1	l	
Manila	June 3	1	1	From S. S. Taisang from Amoy,
		i	1	China.
Do	Aug. 20-26	2		
Portugal:	T1 00 G4 0	1.	١ -	
Lisbon	July 23-Sept. 2	4	5	
Portuguese West Africa:		1	1	1
Angola—	Oet. 25	į .		Present.
Loanda	000.20			Reported present Aug. 24, 1922.
Sanagal:		1	1	,
Senegal: DakarDo	June 1-30	. 1	1	
Do	July 1-31	. 2	2	
Siam:	A 20 T 2	. 4		•
Bangkok Do	Apr. 30-June 3 July 2-Sept. 2	8		
Spain:	July 2-150pt. 2	l °	'	
Barcelona	Sept. 24-Oct. 19	6	6	Stated to be confined to factory in which disease first appeared.
0-1	0-4-10	_	1	Oct. 18, 1922: 13 cases present.
Cartagena	Oct. 18do	. 2		· I
Valencia		1 2	1	1
Singapore	Apr. 30-June 24	. 8	. 9	1
Do	Apr. 30-June 24 July 9-Aug. 26	. 3		
Syria:	1	1	1 .	1
Aleppo	Sept. 9-16	-	. 1	Oct. 8-14, 1922: 1 plague rat.
Alexandretta	Tul- 20 Ang 12	: ····· ₇	· ····i	. Oct. 0-12, 1966. I hinguo ine.
Beirut Tunis:	July 30-Aug. 13	1 '	1 1	1
Tunis	June 30-Sept. 9	. 4	1 1	i i
Turkey:	Table or Dopertion	1	1	1
Constantinople	Aug. 20-Oct. 7	. 12	8	
Orange Free State—	İ	1	ı	1
Grootkom Farm	May 7-13	.1		One dead plague-infected rodent found. Locality adjoins Tru-
		1		found. Locality adjoins Tru-
		1	1	cart's Berg Farm, on which plague-infected mouse was found preceding week.
	1		1	plague-injected mouse was
Dandson D. C	35-14.00	1	1	Plague-infected wild rodent
Rendezvous Ry. Station	1 May 14-20			found near.
On vessels:	1	1	1	
8. S. Ardeola	. June 25-July 8			. At Liverpool. Four plague-in- fected rats found dead. Vessel
		1	1	fected rats found dead. Vessel
	1	1	ı	from Las Palmas, Canary 18-
	1	ı	ı	lands, June 26, 1922.

Reports Received from July 1 to November 17, 1922-Continued.

PLAGUE—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
On vessels—Continued. S. S. Barcelona	Nov. 11	1		At Habana, Cuba, from Baro- lona, Spain, via Canary Is- lands. Patient from Canary
S. S. Dumbea	Aug. 5	1		At Suez, Egypt, from Island of Mauritius, Patient III two days before arrival Declara-
Greek vessel	July 19			positive Aug. 6. At Messina, Italy. Cases on board. Vessel not allowed to enter.
S. S. Legie	July 29			At Hamburg, Germany. Plague rats found. Vessel from Brenes
S. S. Southgate	May 30	1		Aires, Argentina. At Thursday Island quantine, Australia. Vessel left Calcula May 2, Rangoon, May 2, Ves- sel badly rat-infested. At Manila, P. I., from Anny, China. Patient landed at M.
S. S. Taisang	June 1-3	1	.1	sel badly rat-miested. At Manila, P. I., from Amey, China. Patient landed at Ma- nila June 1, 1922; The Taisan- was 2½ days en route direct from Amoy.
	SMAL	LPOX.		
Arabia:	No. 7 I 04			
Aden	May 7-June 24 July 2-Oct. 7	60 49	21 24	
Argentina: Rosario	June 1-30		3	
Asia Minor:		l	1	
Smyrna	May 14-June 24 June 25-Aug. 26	4 13		In district.
Bermuda:	Sept. 3-30	8		
Bolivia:		i		
La Paz Brazil:	Mar. 1-Apr. 30	97	16	
Bahia	June 25-July 1	1	1	
Para Do	May 29-June 25 July 3-Sept. 17	141	2	Aug. 22-28, 1922: Cases, 16.
Rio de Janeiro	May 14-June 24	48	12	1000
Sao Paulo	June 25-Oct. 7 Apr. 10-June 11	106 3	37 10	
Kenya Colony	Apr. 16-June 10	26	-	.1 Apr. 1-June 30, 1922: Cases, 15. .1 July 9-15, 1922: Deaths, 5.
Do	Apr. 16 -June 10 July 16-Aug. 12 Mar. 1-31	18 22	2	
Nairobi Tanganyika Territory	Aug. 20-Sept. 2	27	2	
Zanzibar Do	May 1-June 10 June 24-July 1	36		
Canada:	Julie 24-July 1	1 -		1
Alberta— Calgary	June 18-24	. 1		
Manitoba	1	i	1	1
Winnipeg Do	May 6-June 17 Sept. 3-9	3		4
New Brunswick—	1 -	i	1	1
Kent County	June 25–July 1 June 4-17	. 2		·i
Do	Sept. 10-Oct. 7	. 2		
Fort William and Port Arthur.	Aug. 6-Sept. 23	: a		Sept. 1-30, 1922: Cases, It deaths, 1.
Hamilton	July 30-Aug. 12 Aug. 26-Sept. 2	. 2		-1
London North Bay	June 3-17	1 1		
	. July 16-Aug. 12	. 3		•
Ottawa Do	. June 11-July 1 . July 2-Oct. 21	. 17		3
Toronto	. Jume 18-Sept. 9			1

Reports Received from July 1 to November 17, 1922-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Canada—Continued. Saskatchewan—				•
Saskatchewan— Regina Saskatoon	Sept. 17-23 Aug. 20-26	1 1		Imported.
Ceylon: Colombo Do	May 14-20 July 16-Sept. 23	1 11		
Concepcion	Mar. 14-June 20	••••••	71	Prevalent, July 3, 1922, throughout southern Provinces.
DōQuillon	June 27-Sept. 4	••••••	30	In Concepcion Province: Epi- demic in May, 1922, with 60 reported cases. To June 5, epidemic.
Do San Patricio	June 27-July 3 May 16-22 May 22-June 24	13		Epidemic.
Talcahuano Do	June 25-July 30	33 5	19 7	May 16-22, 1922: Present.
Temuco Valparaiso	Mar. 26-June 19		115	Province of Cautin; epidemic in May, 1922. Incomplete; several districts not
Do China: Amoy	June 25-July 30 May 7-20		46	reporting. Present. June 18-24, 1922: 1
Do	July 16-Sept. 16			death. Present.
Antung Do	May 29-June 18 July 3-16 May 28-June 24 June 25-Sept. 23	4 5		.
Chungking Do	June 25-Sept. 23			Do. Do.
Foochow Do Hankow	Aug 27-Sent Q	1		Aug. 13-19, 1922: Present. Present.
Hongkong Do	June 25-July 1 May 14-June 24 July 16-Sept. 16	41 5	32 2	Aug. 13-26, 1922: Present.
Manchuria— Dairen Do	May 15-June 18 June 26-Sept. 17	4 7	1	
Harbin	June 26-Sept. 17 May 22-28 July 30-Aug. 5	1		
Mukden Do	June 18-24 July 16-Sept. 23 May 7-June 24			Present. Do.
Nanking Do	June 25-Sept. 23 May 22-28			Do. Do. Native.
Shanghai Tientsin	May 14-20 May 9-June 18	1		Present.
Tsingtau	may 9-June 18	1	,	Including leased territory of Kia- ochow, Japanese population along Shantung Railway, and Japanese residents, Tsinan.
Do	June 26-July 30 May 1-31	5	1	Do.
Chemulpo Fusan Do	May 1-June 30 July 1-31	147	60	
Seoul	May 1-June 30 July 1-31	. 26	5	
CubaCity—	,		-	July 1-Aug. 31, 1922: Cases, 77
Do	June 18-24 Sept. 17-21	. 1		Reported for Preston.
Cienfuegos Habana	Inna 24_Inly 1	1 1		
Sagua la Grande Santiago	July 1-Aug. 31 Oct. 15-21 June 1-30			In vicinity, at Rancho Veloz.
Do Province— Habana	Sept. 1-30 Aug. 20-31			1
Matanzas. Oriente	dodo.] j		
Santa Clara	do] }		Present. Aug. 23: Epidemic. Island in Leeward Islands.
Dominican Republic				Island in Leeward Islands.
Puerto Plata	Sept. 12-Oct. 14 May 21-June 24	167		City and country. (Corrected report.)

Reports Received from July 1 to November 17, 1922—Continued.

SMALLPUX—Continued.				
Place.	Date.	Cases.	Deaths.	Remarks.
Deminisan Republic Contd				
Dominican Republic—Contd. San Pedro de Macoris	June 25-Oct. 28	384	2	City and district. (Corrected report.)
Santo Domingo Do	June 4-24 June 25-Oct. 28	3 5	9 6	Including vicinity. July 30-Aug. 5, 1922: A few cases city and vicinity.
Ecuador:	Turl 10 Oct 15	12		only and vicinity.
Guayaquil Milagro	July 16-Oct. 15 Sept. 1-15	1		·
Nobol Egypt:	do	1		
Egypt: Alexandria Cairo	July 23-Aug. 12 Apr. 30-June 24 July 23-Aug. 5 May 7-June 24	2 13	2 5	
DoPort Said	July 23-Aug. 5	6 3	1	
Do	July 25-29	1		
Finland	June 1-30	2		
DoFiume.	July 1-15 June 13-19	i		
DoFrance:	July 10-16	1		
Paris	June 1-10	1	1.	
Great Britain: Halifax		ļ		Outbreak reported under date of June 17, 1922.
HuddersfieldLiverpool	Aug. 18–19	·····i		Do. In port hospital.
London	July 30-Oct. 14	7	3	In port nospital.
SheffieldSouthampton		5 2		
Greece:	May 1-June 25	3	1	
Saloniki Do	July 17-23	1	i	
Syra Island Haiti:	May 26	12	5	
Cape HaitienPlaine du Nord	June 11-17do	1		Vicinity of Cape Haitien. Pres-
India				ent. Feb. 26-Mar. 25, 1922: Deaths.
Bombay	Apr. 29-June 24		17	1.162 (date of report corrected).
Calcutta	July 2-15 Apr. 23-June 24	84	67	Mar. 20-May 20, 1922; Deaths.
Do	June 25-Sept. 16		22	6,015. June 4-24: Cases, 2,812; deaths, 919. June 25-Sept. 2,
Karachi	May 23-June 24	35	9	1922: Cases, 8,516; deaths, 2,228,
Do	, July 16–Sept, 30		5	T 10 0F 1000 C
Madras Do	May 14-June 24 July 2-Sept. 30	207 477	94 217	June 19-25, 1922: Cases, 30, deaths, 15.
Rangoon	July 2-Sept. 30 May 7-June 24	37	16	1
Indo-China:	July 2-Sept. 9	49	23	
Saigon	. June 30-Aug. 19	. 36	26	Including area of 100 square km.
Japan: Kobe	June 19-25	. 2		
Taiwan Island	June 19-25 June 11-30	. 26	3	
DoYokohama	. July 22-Aug. 10	27	4	
Do	June 28-July 20	48	8	
Java: East Java—	1	1	1	
Soerabaya West Java—	"	. 2		
Batavia Do	. Apr. 28-June 30 July 9-Sept. 22	. 20 . 45		City and Province. Province.
Luxemburg	. June 15-30	. 1	1	
Malta Mesopotamia:		ı		June 1-30, 1922: Cases, 2.
Bagdad	. Apr. 1-June 30	. 36 . 57		
Mexico:	1 -	1	1	-
Chihuahua	. June 22-Sept. 17		. 2	1
Gu adalaja ra	June 22-Sept. 17 May 1-June 30 July 1-Sept. 17 June 6-25	. 13		•
Manzanillo	June 6-25	:	. 4	Estimated cases, 4 to 10.
Do	. June 27-July 3	.1 6	1	

Reports Received from July 1 to November 17, 1922—Centinued.

Place.	Date.	Cases.	Deaths.	Remarks.
Menico Continued. Mexico City	May 21-June 24	129		Including municipalities in Federal District. Report June 11-
Do	June 25-Oct. 7	211		17, not received. Including municipalities in Federal District.
Negales San Luis Potosi Torreen	July 22-Aug. 5 July 23-Oes. 7 July 1-31	26	3 12 1	State of Sonora.
Panama Canal			ļ	July 1-31, 1922: Cases, 4, of which
ColonPanama	July 1-Oct. 15 July 1-Aug. 15	3 2		1 nouresident and net locally reported. July 28-Sept. 28, 1922: Cases, 3; of these, non- resident, 2.
Pemia: Teheran	Apr. 23-May 22	. 2		May 1-15 1922: Cases 5: deaths
Peru				May 1-15, 1922: Cases, 5; deaths, 4. June 1-30, 1922: Cases, 18; deaths, 7. Ang. 1-31, 1922: cases, 23, deaths, 5. Jan. 1-June 30, 1922: Deaths, 1. Jan. 1-June 30, 1922: Deaths, 23. Mor. 28, Lync 24, 1922: Cases, 23.
Callso				Jan. 1-June 30, 1922: Deaths, 23.
Poland		·		Mar. 28-June 24, 1922: Cases, 1,210; deaths, 241. June 25-Sept. 7, 1922: Cases, 253;
Portugal:		1		deaths, 54.
Lisbon	May 29-June 25		8	Corrected report. Do.
Operto Portuguese East Africa:	June 25-Oct. 14 Aug. 27-Sept. 2	. 224		D0.
Lourenco Marques Portuguese West Africa: Augola—	July 23-29	. 1	·····	
Loanda	June 25-July 1	ı	. 1	
Esthenia	May 1-June 30 July 1-31 May 1-June 30	. 6 . 1		•
Lettonia. Do	July 1-Aug. 31	20		
DekarSpain:	June 1-30	. 4		
Barcelona. De.	June 22-28 June 29-Sept. 13 Aug. 1-Sept. 30		. 1	: 1
Cadis	Aug. 1-30]]	
Corumna. Electro	June 11-17 Apr. 1-June 30] 4	
Det. Seville	July 1-Aug. 31 June 11-17	· • · · · · ·	3	Week ended June 11, 1922: Many
De	June 18-Oct. 8	. . L	151	cases.
Valencia Straits Settlements: Singapore	May 21-27	1		2
Do Switzerland: Basel	July 30-Aug. 19.	į.	3	
Do	Sept. 17-23		1	••
Berne	May 14-20 July 9-Sept. 23		0	
Lucerne Zurich Canton	July 1-31		i	Aug. 1-31, 1922: Cases, 74.
Zurich	Aps. 23-June 12. June 25-Oct. 14.		0	Aing. 1-31, 1922: Cases, 61.
Syrin:		Π `		Present.
Aleppe. Demascus. Do.	June 4-24 June 18-24 June 25-Sept. 30		i	2 2 2
Tunis:	July 17-23		1	••
Turkey: Constantinople Do	May 21-June 24 June 25-Oct. 14.		18 1	6 5

Reports Received from July 1 to November 17, 1922—Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Union of South Africa				Apr. 1-June 30, 1922: Cases, 173; deaths, 12 (colored); white, cases, 36. July 1-31, 1922: Colored, cases, 171; deaths, 3; white, 6 cases.
Cape Province		•••••	•	deaths, 3 (colored); white, 6 cases. July 1-31, 1922: Cases, 59: deaths, 2 (colored).
Do Natal				Outbreaks. Apr. 1-May 31, 1922: Cases, 20; deaths, 8 (colored); white, 20 cases. July 1-31, 1922: Cases, 5 (colored).
Orange Free State Do				May 1-31, 1922: Cases, 12; deaths, 1 (colored). July 1-31, 1922: 1 case (colored). Outbreaks.
Southern Rhodesia Do Transvaal	Sept. 3-9 May 11-June 28 June 29-Aug. 23	67 35	4	In natives, 3 cases. Apr. 1-June 30, 1922: Cases, 54 (colored); white, 10 cases. July 1-31, 1922: Colored, cases,
Do	July 9-Sept. 2 May 1-31			July 1-31, 1922: Colored, cases, 106; deaths, 1; white, 6 cases. Outbreaks.
JohannesburgVirgin Islands: St. Thomas	June 5-18	1	1	from Dominican Republic.
YugoslaviaCroatia-Slavonia- ZagrebDo	June 4-10 Aug. 6-12	1		Sept. 4-24, 1921: Cases, 11; deaths,
Serbia	June 11–17 Aug. 14–Sept. 24			Oct. 23-29, 1921: Cases, 5.
S. S. Changsha	May 11	1		At Hongkong, China. Case landed from vessel; patient, intending passenger. Vessel proceeded to Australian ports.
S. S. Comeric.	do	1		from Sydney, Australia. (Pub-
Schr. Fancy Me	May 28			1922, p. 1555.) At St. Thomas, Virgin Islands From San Pedro de Macoris, Dominican Republic. 1 case removed to quarantine Jime 5; died June 18.
S. S. Montoro	July 8	1		At Darwin, Australia. Vessel left Singapore Junie 28 for Darwin via Java ports; Case, Chinese, developed July 4. Case landed at quarantine vessel proceeded in quarantine
S. S. Shelley	Apr. 19	. 1		to Sydney, via northern ports. At see, en route from Hongkong. Vessel left Hongkong Apr. 17. Arrived Thursday Island quarantine, Australia, Apr. 28, 1922. Case, member of crew; type,
S. S. St. Albans	May 18	. 1		confluent hemorrhagic. At Thursday Island quarantine. Australia. Case in person of Chinese steerage passenger. Vessel left Shimonoseki. Japan.
				for Melbourne via Hongkong and Manila. Left Thursday Island for Australian ports.

Reports Received from July 1 to November 17, 1922-Continued.

TYPHUS FEVER.

Place.	Date.	Cases.	Deaths.	Remarks.
Algeria: Algiers	May 1-31	16	4	
Do	Aug. 1-Sept. 30	5	3	
Oran	Aug. 1-Sept. 30 June 1-30	3	1	
Do	July 1-Oct. 10	1	4	
Asia Minor:	30. 44 7 . 64			
Smyrna	May 14-June 24	8	•••••	City and district. (Corrected re
***	June 25-Aug. 19	11		port.) District.
Do	June 20-Aug. 19	11	•••••	District.
Australia: Brisbane	July 9-Aug. 12	2		
Austria:				
Vienna	May 7-June 10	3	1	
D0	July 2-Aug. 19	3	1	•
Bolivia:	Man 1 Ann 20	15	8	
LA Paz	Mar. 1-Apr. 30	19	•	
Bulgaria: Sofia	May 28-June 17	4		
Dō	Sept. 24-30	i	1	
Chilet				
Concepcion	Apr. 11-May 29		10	
Do	June 27-Sept. 4 Apr. 2-22		7	
Valparaiso	July 18-Sept. 30		6 26	
Do China:	July 10-Sept. 30		20	'
Antung	May 15-21	1		
Do	July 10-Sept. 17	11		
Foochow	May 14-20	1		
Do	Aug. 6-12	4		
Hankow	July 9-15	1	1	
Manchuria— Harbin	May 8-June 11	4	,	
Do	June 26-Sept. 10			
Tsingtau	Sept. 11-18		1	·
Czechoslovakia:			t .	
Prague	June 11-17	1	<u></u> -	
Do	July 1+Aug. 26		1	
Danzig (free city)	June 4-10	1		
Egypt: Alexandria	June 4-24	9	6	
Do	June 25-Oct. 14	27	14	July 22-29, 1922: 1 imported part
, Id	1			typhoid.
Cairo	Mar. 19-June 24	19	62	Relapsing fever, Mar. 25-Apr. :
Do	June 23-Aug. 12 May 28-June 3	34	25	1 case.
Port Seid	July 2-Sept. 2	1 8	8	1
Germany	July 2-rept. 2			May 1-6, 1922: 5 cases typhi
Berlin	Apr. 30-June 24		7	fever at quarantine station
Do	June 25-Sept. 2		17	Osternothafen, in persons r turning from Russia.
Coblenz.: Königsberg	July 2-Oct. 14 May 28-June 3	. 23	1	turning from Russia.
Königsberg	. May 28-June 3	. 1		•
Do.s.	Sept. 3-9 July 22-Aug. 28	1 2	i	·1
StuttgartGreat Britain:	. July 22-Aug. 20	•		ţ
Glasgow	Sept. 17-23	. 1	1	•
Greece:		1 -	1	!
Piræus	. Aug. 1-31	. 1		
Saloniki	. May 1-June 18	. 25	1	2 in Russian refugees.
Indo-China:	A 6 10	. 1	1	l .
Saigon	. Aug. 6-19			•}
East Java—	1	i	1	ì
Soerabaya	. July 23-Aug. 5	. 4	2	· t
Mesopotamia:		1		1
Dagded	. Apr. 1-June 30		2	1
Do	. Aug. 1-31	.] 5	·	-
Mexico:	. Apr. 23-June 24.	. 111	1	. Including municipalities in Fe
Mexico City	. Apr. 40-vinte 41.	'''	1	eral District.
Do	June 25-Oct. 7	. 252		.l Do.
			1	. Present. Oct. 1-7, 1922: Death
Sau Latis Potosi	Sept. 10-Oct. 7:			- 1 1000mm. Court 1, 2020. 2 cm.
Sau Lois Potosi Netherlands:	. Sept. 10-Oct. 7:	1	1	2.

Reports Received from July 1 to November 17, 1922—Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Norway:	_			
Christian'a Province—	Aug. 15	1	1	
Finmarken Palestine:	July 26-Aug. 5		2	Occurring in 3 localities.
Jerusalem	June 27-Sept. 4		8	
Teheran Poland	Mar. 22-June 22			Mar. 26-Apr. 22, 1922: Cases, 5 695: deaths 349 Apr. 22
Warsaw	Apr. 23-June 24	156		Mar. 26-Apr. 22, 1922: Cases, 5,695; deaths, 349. Apr. 23-June 24, 1922: Cases, 9,402; deaths, 631. Recurrent typhus, Mar. 26-Apr. 22, 1922: Cases, 4,515; deaths, 155. Apr. 23-May 6, 1922: Cases, 1,598; deaths, 34. (Corrected report.) May 7-June 24, 1922: Cases, 4,790; deaths, 111. June 25-Sept. 7, 1922: Cases, 2,599; deaths, 193. Recurrent typhus, June 25-Sept. 7, 1922: Cases, 3,783; deaths, 113. Among transient and permanent residents.
Portugal: Oporto	May 4-June 24	9	4	103401165.
Do Seixal	June 29-Aug. 19 Aug. 4	2	i	Village opposite Lisbon.
RumaniaCity—	Aug. 1			Apr. 1-May 31, 1922: Cases, 62.
Bucharest	May 1-31do	14 5		
Chisinau	Apr. 1-30	21		
Cluj	May 1-31	18		
Constanza	do	1 1		
Sulina Province—	do	2		6.7
Bucovina	Jan. 1-31	35	13	,
Chisinau Transylvania	Apr. 1-30	14	3	Recurrent typhus: Cases, 7.
Russia: Esthonia	ı	1		·
Do	July 1-Aug. 31	15		
Lettonia		635 74		Recurrent typhus: Cases, 40. Recurrent typhus: Cases, 21;
Siberia: Vladivostok	July 1-31	3		paratyphus cases, 3.
Spain:	1 -	ŀ		162
Barcelona	July 13–19 May 1–June 30		16	en Carrier in T
Do Seville Switzerland:	May 1-June 30 July 1-Aug. 31 May 21-June 3	1	7	
Lucerne		i		
Aleppo Tunis:	1	1		Present and in interior.
TunisTurkey:	June 4-10	1		·
Constantinople	. May 21-June 24 July 9-Oct. 14	16 38		i
Union of South Africa				Apr. 1-June 30, 1922: Cases, 1,220; deaths, 214 (colored); white, 17 cases. July 1-31, 1922: Cases, 629; deaths, 95 (colored); white,
Cape Province				2 cases. Apr. 1-June 30, 1922: Cases, 1,037, deaths, 194 (colored); white, 16 cases. July 1-31, 1922: Cases, 591; deaths, 83 (colored); white, 2 cases.
Do	. Aug. 20-26		. '	Outbreaks.

Reports Received from July 1 to November 17, 1922—Continued.

TYPHUS FEVER-Continued.

Place.	Date.	Cases.	Deaths.	Remarks.
Union of South Africa—Con. Cape Province—Continued. Diamond fields			• • • • • • • • • • • • • • • • • • • •	Sept. 28, 1922: Outbreaks at native locations near Kimber-
Delport	Sept. 28			ley. Outbreak
Delport	dodododododo	·····i	20 12	Including Longlands.
				Apr. 1-June 30, 1922: Cases, 57; deaths, 7 (colored); July 1-31, 1922: Cases, 9; deaths, 4 (col- ored).
* * * * * * * * * * * * * * * * * * * *	•			Apr. 1-June 30, 1922: Cases, 97; deaths, 10 (colored); white, 1 case. July 1-31, 1922: Cases, 25; deaths. 8 (colored).
DoTransvaal				Outbreaks. Apr. 1-June 30, 1922: Cases, 29; deaths, 2 (colored). July 1-31, 1922: Cases, 4 (colored).
DoJohannesburgDoYugoslavia	Aug. 27-Sept. 2 May 1-June 30 July 1-31	7	i	Outbreaks.
Croatia-Slavonia Serbia—	Sept. 4-10	i		Aug. 7–13, 1921: 2 new cases. (1921.) Do.
Belgrade	May 6-June 3 Aug. 7-13	1		(1921.)
S. S. Chios	•		1	At Kavak quarantine station Bosporus, from Novorossysk a Russian Black Sea port Vessel carried refugees for Saloniki, Greece. From Danzig, May 30. 1922. A embarkation detention camp Southampton, England. (Pub lic Health Reports, June 30 1922, p. 1610.)
	YELLOV	v feve	R.	
Brazil: Bahia		3	2	
Ciudad VictoriaTampico	Sept. 27	1 1	1 1	Origin, Tampico. From Panuco. Patient brough to Tampico on eighth day o
Do	1 -	1	6	illness. Of these, 5 with origin at Panuco State of Vera Cruz; 1 with
Tuxpam	Oct. 14-Nov. 10	. 2		origin at Tampico. Nov. 5 1922: 1 case.
On vessel: Schr. William E. Burnham.	Sept. 13		. 1	At sea between Paramaribo and Mobile Quarantine, Ala., where the vessel arrived Sopt. 14 1922. The vessel left Free town, Sierra Leone, June 2 and touched at Mungo and Mongo an